

NOTES: REF: (A)

FILE NO. BB-CD-401-01


- ① MAT'L: COPPER (STOCK TKN. 031) REF: (A)
- PLATING: ELECTRO TIN (.0003 MIN)
- ② TIN-PLATED BRASS FUNNEL FERRULE

STUD SIZES: ($\pm .005$)

02 = .094	209 = .209
04 = .119	413 = .413
06 = .146	
08 = .173	
10 = .198	
14 = .265	
56 = .328	
38 = .390	

"UL" LISTING # E32244
 "CSA" LISTING # 18689

WIRE SIZE: 16-14 AWG
 1.0-2.5 MM²



ALL DIMENSIONS = INCHES (MWD) DENOTES MAXIMUM WIRE INSULATION DIAMETER

PART NUMBER	"W" $\pm .010$	"C" MIN.	"L" MAX.	REFERENCE	SCALE:	NTS	DATE	TITLE:	DWG. NO.	CUSTOMER DWG
BB-418 -	.534	.554	1.231					AVAILABLE STUD SIZES		
	13.56	14.07	31.27					10, 14, 56, 38, 413		
BB-423 -	.250	.209	.755					02, 04, 06, 08		
	6.35	5.31	19.18							
BB-425 -	.467	.388	1.032					10, 14, 56		
	11.86	9.86	26.21							
BB-437 -	.312	.285	.840					04, 06, 08, 10, 209		
	7.92	7.24	21.33							
BB-439 -	.342	.310	.891					04, 06, 08, 10		
	8.69	7.87	22.64							
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED		REFERENCE		SCALE:		DATE		TITLE:		
FRAC. DEC. ANG.				DRWN. BY: JJ		11.21.84		RING TONGUE TERMINAL		
\pm				CHKD. BY: GZ		12.4.84		VIBRAKRIMP 400-SERIES		
				APPRD. BY:				ETC SOZAS Rm1		

