


REVISIONS				DOC. NO. SPC-F004 * Effective: 7/8/02 * DCP No: 1398					
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE	
1868	Α	RELEASED	BYF	11/13/05	НО	11/17/05	JWM	11/17/05	
						·			



SPECIFICATIONS:

- Material: Made from D77168E (M009734-6.5) Cold-Rolled, Round edge flat
- wire, half hard steel. or Cold-rolled, half hard, slit edge strip steel.

 Plating: Zing plated 0.002 ~ 0.0003" THK. With Blue Trivalent Chromate

 Bracket fits inside cores of 100W Wirewound type resistors and remain in place by spring tension.
- Mounting Screw size (Max.) #10 Screw

SPC-F004.DWG

TOLERANCES:	DRAWN BY:	DATE:		ING TITLE:				
UNLESS OTHERWISE	BASAM YOUSIF	11/13/05	RoHS	Compliant Mo	unting Bracket F	or Wi	irewound Resi	stors
SPECIFIED, Angles ±0.5°	CHECKED BY:	DATE:	SIZE	DWG. NO.		ELEC	TRONIC FILE	REV
.XX ±0.010	HISHAM ODISH	11/17/05	A	MC1	14690	28	3K6304.DWG	l a l
.XXX ±0.005	APPROVED BY:	DATE:			1			
Fractions ±1/64	JEFF MCVICKER	11/17/05	SCALE	E: NTS	U.O.M.: INCHES		SHEET: 1 OF	· 1

ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY. DISCLAIMER: ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.