




ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS			DOC. NO.	SPC-F005	Effective:	12/21/98	DCP No.	680
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRD	DATE
788	A	RELEASED	HYO	4/5/00	JC	8/1/00	DJC	8/7/00



**SPECIFICATIONS:**

1. CONNECTOR: 6 POSITION / 4 CONDUCTOR
2. LEADWIRE: 26 AWG, 7 STRAND
3. LEADWIRE COLORS: BLACK, RED, GREEN, YELLOW
4. SPRING WIRE: 0.45mm (0.018 in) DIAMETER, PHOSPHOROUS BRONZE ALLOY
5. HOUSING MATERIAL: ABS AND POLYCARBONATE
6. COLOR: WHITE
7. HARDWARE: (2) #8-32 MACHINE SCREWS

8. INSULATION RESISTANCE: ≥500 MEGOHMS
9. DIELECTRIC STRENGTH: 500 V AC RMS, 60 HZ
10. CONTACT RESISTANCE: ≤15 MILLIOHMS
11. CURRENT RATING: 1-1/2 AMPS
12. RETENTION FORCE: 76 N (17 lbs)
13. CRIMPING STRENGTH: 2.0 Kg (4.4 lbs)

DISCLAIMER:  
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.



**SPC TECHNOLOGY**

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
HISHAM ODISH	4/5/00
CHECKED BY:	DATE:
JOHN COLE	8/1/00
APPROVED BY:	DATE:
DANIEL CAREY	8/7/00

DRAWING TITLE:		DRAWING TITLE:	
DUPLIX 4 CONDUCTOR WALL PLATE		DUPLIX 4 CONDUCTOR WALL PLATE	
SIZE	DWG. NO.	ELECTRONIC FILE	REV
A	8588-0092	52N9449.DWG	A
SCALE:	NTS	U.O.M.: INCHES	SHEET: 1 OF 1