








THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED.
 © 2008 YIP ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

REV	DATE	DESCRIPTION	BY	CHK	APP
J		REVISED PER EC 0038-1094-04	1MFER05	KW	SR
J1		REV PER ECO-09-021826	08SEP09	KK	AEG



- PARTS COMPLY TO AMP SOLDERABILITY SPECIFICATION 109-11-3.
- CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN LEAD ON SOLDER TAIL END.
- CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM PRINT.
- DIMENSIONS IN BRACKETS ARE IN INCHES.
- DRAIN HOLES LOCATED AS SHOWN. OPTIONAL CONSTRUCTION- ALL DRAIN HOLES LOCATED 90° AS SHOWN IN DETAIL A.
- CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.
- OBsolete PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



△ OBSOLETE	PHOSPHOR BRONZE, GOLD △	NYLON,UL94V-2,NATURAL	-350988-5-
	PHOSPHOR BRONZE, PRE-TIN	NYLON,UL94V-2,NATURAL	350988-4
△ OBSOLETE	PHOSPHOR BRONZE, GOLD △	NYLON,UL94V-2,NATURAL	-350988-3-
	CONTACT MATERIAL AND FINISH	HOUSING MATERIAL	PART NUMBER

METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT.	DATE: 10-28-08	REV: 1	BY: JIP	CHK: JIP	APP: JIP
INCHES: 1/16, 1/8, 3/16, 1/4, 3/8, 1/2, 5/8, 3/4, 7/8, 1	MILLIMETERS: 1.5, 3, 4.5, 6, 7.5, 9, 10.5, 12, 13.5, 15, 16.5, 18, 19.5, 21, 22.5, 24, 25.5, 27, 28.5, 30, 31.5, 33, 34.5, 36, 37.5, 39, 40.5, 42, 43.5, 45, 46.5, 48, 49.5, 51, 52.5, 54, 55.5, 57, 58.5, 60, 61.5, 63, 64.5, 66, 67.5, 69, 70.5, 72, 73.5, 75, 76.5, 78, 79.5, 81, 82.5, 84, 85.5, 87, 88.5, 90, 91.5, 93, 94.5, 96, 97.5, 99, 100	DATE: 10-28-08	REV: 1	BY: JIP	CHK: JIP
SEE TABLE	SEE TABLE	CUSTOMER DRAWING	SIZE: A1	DATE: 10-28-08	REV: 1