



REV	DATE	DESCRIPTION	BY	CHK	APP
CM	00				
R1		REVISED PER ECO-09-013221	DAK/MS	HMR	MS



- 1 PARTS MUST COMPLY WITH AMP SOLDERABILITY SPEC 109-11-3.
- △ CONTACT IS STAMPED FROM PRE-PLATED STOCK WHICH IS PLATED OVERALL WITH 0.00127 [0.00050] NICKEL, THEN STRIPED WITH 0.00076 [0.00030] GOLD IN CONTACT AREA INDICATED AND TIN-LEAD ON SOLDER TAIL END.
- △ CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM FRONT.
- △ CONTACT IS PLATED OVERALL WITH 0.00127 [0.00050] NICKEL, THEN 0.00076 [0.00030] GOLD OVER CONTACT. LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.
- △ WILL ACCEPT 1.98[.078] DIA PIN



RECOMMENDED LAYOUT FOR 1.58 [.062] THICK PC BOARD

CONTACT	HOUSING	PART NO
PH BRZ TIN △	NYLON,UL 94V-0	350828-5
PH BRZ GOLD △	NYLON,UL 94V-0	350828-4
PH BRZ GOLD △	NYLON,UL 94V-0	350828-2
PH BRZ TIN	NYLON,UL 94V-0	350828-1



THIS DRAWING IS A CONTROLLED DOCUMENT.

DESIGNED BY: BLITZAKER 11020602	DATE: 11/02/02	BY: T. SIOGELL 11020602	DATE: 11/02/02
CHECKED BY: T. SIOGELL 11020602	DATE: 11/02/02	APPROVED BY: T. SIOGELL 11020602	DATE: 11/02/02

Customer Drawing: A100779 (350828)

Part No: 350828-5

Part Name: 9 CIRCUIT UNIVERSAL MATE-N-LOK (TM) P.C. BOARD SOCKET HEADER ASSEMBLY

Revision: 1 of 1