





REV	DATE	DESCRIPTION	BY	CHK	APP
00					
01		REVISED PER ECO-08-019746			



- 1 MATES WITH AMP CONNECTOR PART NO. 480706.
- △ FLAME RETARDANT CLASSIFICATION OF MATERIAL IS 94V-2.
- 3 PARTS MUST COMPLY WITH AMP SOLDERABILITY SPEC 109-11-3.
- △ CONTACT IS STAMPED FROM PRE-PLATED STOCK WHICH IS PLATED OVERALL WITH 0.00127 [0.00050] NICKEL, THEN STRIPED WITH 0.00076 [0.00030] GOLD IN CONTACT AREA INDICATED AND TIN-LEAD ON SOLDER TAIL END.
- △ CONTACT IS PLATED OVERALL WITH 0.00127 [0.00050] NICKEL, THEN 0.00076 [0.00030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.



RECOMMENDED LAYOUT FOR 3.18 [0.125] THICK PC BOARD

PH BRZ GOLD △	NYLON, NATURAL △	350990-5
PH BRZ TIN	NYLON, NATURAL △	350990-4
PH BRZ GOLD △	NYLON, NATURAL △	350990-3
CONTACT	HOUSING	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DATE: 11/02/99	BY: B. BUDDE	FOR: TYSO ELECTRONICS CORPORATION
DRAWING NO: 350990		DATE: 11/02/99	BY: B. BUDDE	FOR: TYSO ELECTRONICS CORPORATION
REVISIONS:		SOCKET HEADER ASSEMBLY		
REV. 1		9 CIRCUIT, LONG TAIL, UNIVERSAL MATE-N-LOK (TM)		
REV. 2		TYSO USE ONLY DRAWING NO: A100779		
REV. 3		C=350990		
REV. 4		REVISED TO: G1		
REV. 5		CUSTOMER DRAWING		

