





REV	DATE	DESCRIPTION	BY	CHK	APP
00					
L1		REVISED PER ECO-08-019746			



- PARTS MUST COMPLY WITH AMP SOLDERABILITY SPEC 109-11-3.
- CONTACT IS STAMPED FROM PRE-PLATED STOCK WHICH IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN STRIPED WITH 0.00076 [.000030] GOLD IN CONTACT AREA INDICATED AND TIN-LEAD ON SOLDER TAIL END.
- CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM PRINT.
- CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.



RECOMMENDED LAYOUT FOR 3.18 [.125] THICK PC BOARD

PH BRZ GOLD	NYLON, 94V-0	350837-4
PH BRZ GOLD	NYLON, 94V-0	350837-2
PH BRZ TIN	NYLON, 94V-0	350837-1
CONTACT	HOUSING	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT. METRIC 11209993

DESIGNED BY: B. BUDDELL 11209993
 CHECKED BY: B. BUDDELL 11209993
 DRAWN BY: B. BUDDELL 11209993
 DATE: 11/15/08

15 CIRCUIT UNIVERSAL MATE-N-LOK (TM)
 P.C. BOARD SOCKET HEADER ASSEMBLY

TITLE: 350837
 PART NO: 350837
 CUSTOMER DRAWING

REV: A1
 DATE: 08/01/09
 DRAWN BY: B. BUDDELL
 CHECKED BY: B. BUDDELL
 DATE: 11/15/08

SCALE: 2:1
 SHEET: 1 OF 1
 FILE: L1

