



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

\*MATE-N-LOK is a Trademark.


LOC	REV	DESCRIPTION	DATE	BY	APP
CH	11				
		REVISED PER ECO-11-004820	11MAR11	RK	HMR

1. MATES WITH MATE-N-LOK\* II PLUG CONNECTORS USING 193796-1 PIN CONTACTS.

△ -C- IS A BASIC DIMENSION



RECOMMENDED LAYOUT FOR .062 THK PC BOARD



PRELIMINARY - NOT FOR PRODUCTION

59.18 [2.330]	69.85 [2.750]	52.07 [2.050]	8	193839-5
40.13 [1.580]	50.67 [1.995]	33.02 [1.300]	5	193839-4
33.78 [1.330]	44.32 [1.745]	26.67 [1.050]	4	193839-3
27.43 [1.080]	37.97 [1.495]	20.32 [.800]	3	193839-2
21.08 [.830]	31.62 [1.245]	13.97 [.550]	2	193839-1
C	B	A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DN TURNER	08-27-93	TE Connectivity	
DIMENSIONS: MM [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:	APPRO	SOCKET HEADER, RT ANGLE MOUNT, UNIVERSAL MATE-N-LOK X 2 THRU 5 POSITION	
Ø	PLC	±	PRODUCT SPEC	SIZE	CAGE CODE
Ø	PLC	±	APPLICATION SPEC	DRAWING NO	RESTRICTED TO
Ø	PLC	±	WEIGHT	A2	00779
Ø	PLC	±	CUSTOMER DRAWING	SCALE	2:1
Ø	PLC	±		SHEET	1 of 1
Ø	PLC	±		REV	C1