

**E/MK**

Order No.: 1421633

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1421633>

End bracket, width: 6.2 mm, color: gray

**Commercial data**

EAN	4017918021559
Pack	100 pcs.
Customs tariff	39269097
Weight/Piece	0.001446 KG
Catalog page information	Page 442 (CL-2005)

**Product notes**WEEE/RoHS-compliant since:  
09/01/2005

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****General**

Length (b)	22 mm
Height	11.4 mm
Width (a)	6 mm
Color	gray
Inflammability class acc. to UL 94	V2


Material	PA
Temperature indices (RTI/TI)	125/100

**Accessories**

Item	Designation	Description
<b>Assembly</b>		
1401763	NS 15 AL PERF 2000MM	DIN rail, material: Aluminum, perforated, height 5.5 mm, width 15 mm, length: 2 m
1401682	NS 15 PERF 2000MM	DIN rail, material: steel, perforated, height 5.5 mm, width 15 mm, length: 2 m
1401695	NS 15 UNPERF 2000MM	DIN rail, material: Steel, unperforated, height 5.5 mm, width 15 mm, length: 2 m

**Diagrams/Drawings**

Dimensioned drawing



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;