

**AI 0,75- 8 GY -1000**

Order No.: 3200894

The figure shows the version AI 0,75-8 GY

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200894>

Ferrule, Length: 14 mm, Color: gray

**Commercial data**

EAN	4017918094447
Pack	1000 pcs.
Customs tariff	85369010
Weight/Piece	0.000083 KG
Catalog page information	Page 662 (CL-2009)

**Product notes**WEEE/RoHS-compliant since:  
11/22/2005

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****General**

Length (b)	14 mm
Color	gray
Material	E-CU
Sleeve length	8 mm
Inner dimension of the insulating collar (d)	2.8 mm

Ferrule diameter	1.3 mm
Insulating collar thickness	0.25 mm
Sleeve wall thickness	0.15 mm

#### Certificates / Approvals




Certification

CSA, UCSA

#### Diagrams/Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;