

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
		B3		REVISED PER ECO-11-004917	11MAR11	RK	HMR

MATERIAL:
 HOUSING: THERMOPLASTIC, UL94V-2, BLACK.
 TERMINALS: BRASS, BRIGHT TIN PLATE.
 SCREWS: 6-32, STEEL, PLATED .0002 MIN ZINC W/
 CLEAR CHROMATE COATING, UNLESS OTHERWISE
 SPECIFIED.



ELECTRICAL:
 MAXIMUM CURRENT: 20A.
 OPERATING VOLTAGE: 600V.
 WIRE RANGE: 12-22 AWG.

ENVIRONMENTAL:
 OPERATING TEMP.: -60°C TO +105°C


- 1 SCREWS ARE STAINLESS STEEL.
- 2 PRELIMINARY PART NUMBER.
- 3 SCREWS: NICKEL PLATED BRASS BINDING HEAD.
- 4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



2-1546977-6



RECOMMENDED PANEL LAYOUT



4	OBSOLETE	9.750	20	SSB7TF200501	9-1437416-4
		9.750	20	SSB7TG200501	2-1546977-0
1		9.312	19	SSB7TG190503	3-1546561-6
		9.312	19	SSB7TG190501	1437417-3
1		8.875	18	SSB7TG180503	3-1546561-5
		8.875	18	SSB7TG180501	1-1546977-8
		8.437	17	SSB7TG170501	1-1546977-7
		8.000	16	SSB7TG160501	1-1546977-6
		7.562	15	SSB7TG150501	1-1546977-5
		7.125	14	SSB7TF140501	9-1437416-0
		7.125	14	SSB7TG140501	1-1546977-4
		6.687	13	SSB7TG130501	1-1546977-3
		6.250	12	SSB7TG120501	1-1546977-2
		5.812	11	SSB7TG110501	1-1546977-1
		5.375	10	SSB7TG100501	1437417-1
		4.937	9	SSB7TG090501	1546977-9
		4.500	8	SSB7TG080501	1546977-8
		4.062	7	SSB7TG070501	1546977-7
4	OBSOLETE	3.625	6	SSB7TF060501	8-1437416-6
		3.625	6	SSB7TG060501	1546977-6
4	OBSOLETE	3.187	5	SSB7TF050501	4-1546561-4
		3.187	5	SSB7TG050501	1546977-5
	OBSOLETE	2.750	4	SSB7TF040501	2-1546977-7
2		2.750	4	SSB7TF042511	2-1546977-6
		2.750	4	SSB7TG040501	1546977-4
		2.312	3	SSB7TG030501	1546977-3
1		1.875	2	SSB7TG020503	9-1437416-3
		1.875	2	SSB7TG020501	1546561-8
		1.437	1	SSB7TG010501	5-1437417-6
		DIM A	NO. OF POS.	CATALOG NUMBER	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	S SCHLIGEL	6/3/04
INCHES		CHK	S YODER	6/3/04
		APVD	S YODER	6/3/04
		NAME		
		PRODUCT SPEC		
		APPLICATION SPEC		
		WEIGHT		
MATERIAL	FINISH	SIZE	CAGE CODE	DRAWING NO
-	-	A3	00779	C-8-1437416-6
CUSTOMER DRAWING			SCALE	SHEET
			NTS	1 of 2
			REV	B3

STE TE Connectivity

SSB7TGXX0501

4

3



2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

11.937	25	SSB7TG250501	2-1546977-5
11.500	24	SSB7TG240501	2-1546977-4
11.062	23	SSB7TG230501	2-1546977-3
10.625	22	SSB7TG220504	2-1546977-8
10.625	22	SSB7TG220501	2-1546977-2
10.187	21	SSB7TG210501	2-1546977-1
DIM A	NO. OF POS.	CATALOG NUMBER	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S SCHLGE	6/3/04	 TE Connectivity
DIMENSIONS: INCHES		CHK	S YODER	6/3/04	
		APVD	S YODER	6/3/04	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		SSB7TGXX0501	
0 PLC ± -		PRODUCT SPEC		-	
1 PLC ± -		APPLICATION SPEC		-	
2 PLC ± .02		SIZE		A3	
3 PLC ± .010		CAGE CODE		00779	
4 PLC ± -		DRAWING NO		C-8-1437416-6	
ANGLES ± 1°		RESTRICTED TO		-	
MATERIAL	FINISH	WEIGHT		-	
-	-	CUSTOMER DRAWING		SCALE	NTS
				SHEET	2 of 2
				REV	B3