

TS-UP Series 85°C, 3000 hours*

- Compact size for general purpose and industrial applications
- 2 and 3 pin versions available
- 20mm lengths for low profile applications



Rated Working Voltage:	16 ~ 250 VDC	350 ~ 500 VDC
Operating Temperature:	-40 ~ +85°C	-25 ~ +85°C
Nominal Capacitance:	120 ~ 82000µF (±20% tolerance)	33 ~ 1000µF (±20% tolerance)
Dissipation Factor: (120 Hz, +20°C)	Working Voltage [V]:	16 25 35 50 63 80 100 160 ~ 500
	Max. D.F. (%):	50 40 35 30 25 20 20 15
For capacitance values > 33000µF, add the value of: $\frac{\text{rated cap. } [\mu\text{F}] - 33000}{1000}$		
Leakage Current:	$3\sqrt{CV}$ (µA) max. after 5 minutes; C = Capacitance in µF, V = WV	
Ripple Current Multipliers:	Frequency(Hz):	50 60 100-120 500 1k 10k- Ripple Current Ambient Temperature Factors**
	16-100WV:	0.93 0.95 1.0 1.05 1.08 1.15 Temperature (°C): 85°C 70°C 60°C ≤45°C
	160-500WV:	0.75 0.8 1.0 1.2 1.25 1.4 Multiplier: 1.0 1.3 1.4 1.5
Endurance:	3000 hours at +85°C with maximum specified ripple current (see page 6) *2000 hours for 20mm length sizes	

**Use of temperature ripple current multipliers may limit life to the hours specified for the maximum operating temperature.

Part Number System

E	C	P	Voltage Code	Series	Capacitance Code	Case Diameter	Insulation Options
Common Code / Terminal Type							25 ~ 50mm lengths
ECOS						B	A PVC with top plate
ECEC						C	B PVC without top plate
ECE3						D	20mm length
						E	L PVC with top plate
							G PVC without top plate
							Extended Capacitance Ratings
							X PVC with top plate

TS-UP Standard Ratings (part numbers shown with 2 pins, 6.3mm length terminal, and top vinyl plate)

Cap. (µF)	Size (mm) D x L	Max 85°C R.C. (A _{rms})		Max. 20°C ESR (Ω)		Panasonic Part Number
		120Hz	10kHz~	120Hz	20kHz	
16 VDC Working, 20 VDC Surge						
4700	22 x 20	1.60	1.84	0.159	0.135	ECOS1CP472BL
	22 x 25	1.77	2.04	0.159	0.135	ECOS1CP472BA
6800	22 x 25	2.57	2.96	0.110	0.093	ECOS1CP682BA
	25 x 20	1.80	2.07	0.110	0.093	ECOS1CP682CL
8200	22 x 25	3.10	3.57	0.091	0.077	ECOS1CP822BA
10000	22 x 30	3.78	4.35	0.075	0.063	ECOS1CP103BA
	25 x 25	3.78	4.35	0.075	0.063	ECOS1CP103CA
	30 x 20	2.40	2.76	0.083	0.070	ECOS1CP103DL
12000	22 x 30	4.52	5.20	0.062	0.053	ECOS1CP123BA
	25 x 25	4.52	5.20	0.062	0.053	ECOS1CP123CA
15000	22 x 35	5.26	6.05	0.053	0.045	ECOS1CP153BA
	25 x 30	5.26	6.05	0.053	0.045	ECOS1CP153CA
	35 x 20	3.20	3.68	0.055	0.047	ECOS1CP153EL
18000	22 x 40	5.57	6.41	0.046	0.039	ECOS1CP183BA
	25 x 30	5.57	6.41	0.046	0.039	ECOS1CP183CA
22000	22 x 45	6.10	7.02	0.038	0.032	ECOS1CP223BA
	25 x 35	6.10	7.02	0.038	0.032	ECOS1CP223CA
	30 x 30	6.10	7.02	0.038	0.032	ECOS1CP223DA
27000	25 x 45	6.31	7.26	0.031	0.026	ECOS1CP273CA
	30 x 35	6.31	7.26	0.031	0.026	ECOS1CP273DA
33000	25 x 50	6.84	7.87	0.025	0.021	ECOS1CP333CA
	30 x 40	6.84	7.87	0.025	0.021	ECOS1CP333DA
	35 x 30	6.84	7.87	0.025	0.021	ECOS1CP333EA
39000	30 x 45	6.94	7.98	0.021	0.018	ECOS1CP393DA
	35 x 35	6.94	7.98	0.021	0.018	ECOS1CP393EA
47000	30 x 50	7.47	8.59	0.019	0.017	ECOS1CP473DA
	35 x 40	7.47	8.59	0.021	0.019	ECOS1CP473EA
56000	35 x 45	8.73	10.04	0.019	0.018	ECOS1CP563EA
68000	35 x 50	9.05	10.41	0.018	0.017	ECOS1CP683EA
25 VDC Working, 32 VDC Surge						
3300	22 x 20	1.60	1.84	0.176	0.141	ECOS1EP332BL
	22 x 25	1.68	1.93	0.161	0.129	ECOS1EP332BA
4700	22 x 25	2.39	2.75	0.113	0.090	ECOS1EP472BA
	25 x 20	1.80	2.07	0.123	0.099	ECOS1EP472CL
5600	22 x 25	2.86	3.29	0.095	0.076	ECOS1EP562BA
25 VDC Working, 32 VDC Surge (continued)						
6800	22 x 30	3.47	3.99	0.078	0.062	ECOS1EP682BA
	25 x 25	3.47	3.99	0.078	0.062	ECOS1EP682CA
	30 x 20	2.30	2.65	0.078	0.062	ECOS1EP682DL
8200	22 x 30	3.57	4.11	0.065	0.052	ECOS1EP822BA
	25 x 25	3.57	4.11	0.065	0.052	ECOS1EP822CA
10000	22 x 35	3.78	4.35	0.058	0.046	ECOS1EP103BA
	25 x 30	3.78	4.35	0.058	0.046	ECOS1EP103CA
	30 x 25	3.78	4.35	0.058	0.046	ECOS1EP103DA
	35 x 20	2.70	3.11	0.061	0.049	ECOS1EP103EL
12000	22 x 40	4.10	4.72	0.048	0.039	ECOS1EP123BA
	25 x 35	4.10	4.72	0.048	0.039	ECOS1EP123CA
	30 x 30	4.10	4.72	0.048	0.039	ECOS1EP123DA
15000	22 x 50	4.63	5.32	0.039	0.031	ECOS1EP153BA
	25 x 40	4.63	5.32	0.039	0.031	ECOS1EP153CA
	30 x 30	4.63	5.32	0.039	0.031	ECOS1EP153DA
18000	25 x 45	5.47	6.29	0.035	0.028	ECOS1EP183CA
	30 x 35	5.47	6.29	0.035	0.028	ECOS1EP183DA
22000	25 x 50	6.10	7.02	0.029	0.023	ECOS1EP223CA
	30 x 40	6.10	7.02	0.029	0.023	ECOS1EP223DA
27000	30 x 45	6.21	7.14	0.023	0.019	ECOS1EP273DA
	35 x 35	6.21	7.14	0.025	0.020	ECOS1EP273EA
33000	30 x 50	6.84	7.87	0.020	0.017	ECOS1EP333DA
	35 x 40	6.84	7.87	0.020	0.017	ECOS1EP333EA
39000	35 x 45	7.36	8.46	0.019	0.017	ECOS1EP393EA
47000	35 x 50	8.00	9.20	0.017	0.015	ECOS1EP473EA
35 VDC Working, 44 VDC Surge						
2200	22 x 20	1.40	1.61	0.181	0.136	ECOS1VP222BL
	22 x 25	1.52	1.75	0.166	0.124	ECOS1VP222BA
3300	22 x 25	2.29	2.63	0.111	0.083	ECOS1VP332BA
	25 x 20	1.70	1.96	0.121	0.090	ECOS1VP332CL
3900	22 x 25	2.71	3.12	0.094	0.070	ECOS1VP392BA
4700	22 x 30	3.26	3.75	0.078	0.058	ECOS1VP472BA
	25 x 25	3.26	3.75	0.078	0.058	ECOS1VP472CA
	30 x 20	2.00	2.30	0.088	0.066	ECOS1VP472DL
5600	22 x 30	3.36	3.86	0.080	0.060	ECOS1VP562BA

Design and specifications are subject to change without notice. Ask factory for technical specifications before purchase and/or use. Whenever a doubt about safety arises from this product, please contact us immediately for technical consultation.

TS-UP Standard Ratings (continued)

Cap. (μF)	Size (mm) D x L	Max 85°C R.C. (A _{rms})		Max. 20°C ESR (Ω)		Panasonic Part Number	Cap. (μF)	Size (mm) D x L	Max 85°C R.C. (A _{rms})		Max. 20°C ESR (Ω)		Panasonic Part Number
		120Hz	10kHz-	120Hz	20kHz				120Hz	10kHz-	120Hz	20kHz	
35 VDC Working, 44 VDC Surge (continued)							63 VDC Working, 79 VDC Surge (continued)						
5600	25 x 25	3.36	3.86	0.080	0.060	ECOS1VP562CA	4700	35 x 25	4.86	5.59	0.081	0.061	ECOS1JP472EA
6800	22 x 35	3.68	4.23	0.066	0.049	ECOS1VP682BA	5600	25 x 45	5.36	6.16	0.068	0.051	ECOS1JP562CA
	25 x 30	3.68	4.23	0.066	0.049	ECOS1VP682CA		30 x 35	5.36	6.16	0.068	0.051	ECOS1JP562DA
	35 x 20	2.40	2.76	0.071	0.053	ECOS1VP682EL		35 x 30	5.36	6.16	0.068	0.051	ECOS1JP562EA
8200	22 x 40	4.00	4.60	0.057	0.042	ECOS1VP822BA	6800	25 x 50	5.84	6.72	0.061	0.046	ECOS1JP682CA
	25 x 35	4.00	4.60	0.057	0.042	ECOS1VP822CA		30 x 40	5.84	6.72	0.061	0.046	ECOS1JP682DA
10000	22 x 45	4.42	5.08	0.050	0.037	ECOS1VP103BA		35 x 30	5.84	6.72	0.061	0.046	ECOS1JP682EA
	25 x 40	4.42	5.08	0.050	0.037	ECOS1VP103CA	8200	30 x 45	6.00	6.90	0.051	0.038	ECOS1JP822DA
	30 x 30	4.42	5.08	0.050	0.037	ECOS1VP103DA		35 x 35	6.00	6.90	0.051	0.038	ECOS1JP822EA
12000	35 x 25	4.42	5.08	0.050	0.037	ECOS1VP103EA	10000	35 x 40	6.52	7.50	0.041	0.033	ECOS1JP103EA
	25 x 45	5.05	5.81	0.044	0.033	ECOS1VP123CA		12000	35 x 50	7.15	8.22	0.035	0.028
	30 x 35	5.05	5.81	0.044	0.033	ECOS1VP123DA	80 VDC Working, 100 VDC Surge						
15000	35 x 30	5.05	5.81	0.044	0.033	ECOS1VP123EA	680	22 x 20	1.00	1.15	0.439	0.329	ECOS1KP681BL
	25 x 50	5.57	6.41	0.036	0.027	ECOS1VP153CA		22 x 25	1.02	1.17	0.390	0.293	ECOS1KP681BA
	30 x 40	5.57	6.41	0.036	0.027	ECOS1VP153DA	1000	22 x 25	1.51	1.74	0.265	0.199	ECOS1KP102BA
35 x 30	5.57	6.41	0.036	0.027	ECOS1VP153EA	25 x 20		1.20	1.38	0.298	0.224	ECOS1KP102CL	
18000	30 x 45	5.68	6.53	0.030	0.023	ECOS1VP183DA	1200	22 x 25	1.81	2.08	0.221	0.166	ECOS1KP122BA
	35 x 35	5.68	6.53	0.030	0.023	ECOS1VP183EA		1500	22 x 30	2.26	2.60	0.177	0.133
22000	30 x 50	6.10	7.02	0.026	0.020	ECOS1VP223DA	25 x 25		2.26	2.60	0.177	0.133	ECOS1KP152CA
	35 x 40	6.10	7.02	0.026	0.020	ECOS1VP223EA	30 x 20	1.40	1.61	0.199	0.149	ECOS1KP152DL	
27000	35 x 45	6.84	7.87	0.021	0.017	ECOS1VP273EA	1800	22 x 35	2.52	2.90	0.147	0.111	ECOS1KP182BA
33000	35 x 50	7.15	8.22	0.018	0.014	ECOS1VP333EA		25 x 30	2.52	2.90	0.147	0.111	ECOS1KP182CA
50 VDC Working, 63 VDC Surge							2200	22 x 40	2.73	3.14	0.121	0.090	ECOS1KP222BA
1500	22 x 20	1.20	1.38	0.254	0.191	ECOS1HP152BL		25 x 30	2.73	3.14	0.121	0.090	ECOS1KP222CA
	22 x 25	1.24	1.43	0.221	0.166	ECOS1HP152BA	30 x 25	2.73	3.14	0.121	0.090	ECOS1KP222DA	
2200	22 x 25	1.82	2.09	0.151	0.113	ECOS1HP222BA	35 x 20	1.70	1.96	0.136	0.102	ECOS1KP222EL	
	25 x 20	1.40	1.61	0.173	0.130	ECOS1HP222CL	2700	22 x 45	2.78	3.20	0.098	0.074	ECOS1KP272BA
2700	22 x 25	2.23	2.56	0.123	0.092	ECOS1HP272BA		25 x 35	2.78	3.20	0.098	0.074	ECOS1KP272CA
	3300	22 x 30	2.73	3.14	0.100	0.075	ECOS1HP332BA	30 x 30	2.78	3.20	0.098	0.074	ECOS1KP272DA
25 x 25		2.73	3.14	0.100	0.075	ECOS1HP332CA	3300	22 x 50	3.21	3.69	0.085	0.064	ECOS1KP332BA
30 x 20		1.70	1.96	0.116	0.087	ECOS1HP332DL		25 x 40	3.21	3.69	0.085	0.064	ECOS1KP332CA
3900	22 x 30	2.75	3.16	0.085	0.064	ECOS1HP392BA	30 x 30	3.21	3.69	0.085	0.064	ECOS1KP332DA	
	25 x 25	2.75	3.16	0.085	0.064	ECOS1HP392CA	3900	25 x 45	3.59	4.13	0.077	0.057	ECOS1KP392CA
4700	22 x 35	3.03	3.48	0.071	0.053	ECOS1HP472BA		30 x 35	3.59	4.13	0.077	0.057	ECOS1KP392DA
	25 x 30	3.03	3.48	0.071	0.053	ECOS1HP472CA	4700	25 x 50	4.09	4.70	0.063	0.048	ECOS1KP472CA
	30 x 25	3.03	3.48	0.071	0.053	ECOS1HP472DA		30 x 40	4.09	4.70	0.063	0.048	ECOS1KP472DA
5600	35 x 20	2.10	2.42	0.081	0.061	ECOS1HP472EL	5600	30 x 45	4.55	5.23	0.056	0.042	ECOS1KP562DA
	22 x 40	3.42	3.93	0.059	0.044	ECOS1HP562BA		35 x 35	4.55	5.23	0.056	0.042	ECOS1KP562EA
	25 x 35	3.42	3.93	0.059	0.044	ECOS1HP562CA	6800	30 x 50	5.16	5.93	0.046	0.035	ECOS1KP682DA
30 x 30	3.42	3.93	0.059	0.044	ECOS1HP562DA	35 x 40		5.16	5.93	0.046	0.035	ECOS1KP682EA	
6800	22 x 50	3.85	4.43	0.049	0.037	ECOS1HP682BA	8200	35 x 50	5.83	6.70	0.038	0.029	ECOS1KP822EA
	25 x 40	3.85	4.43	0.049	0.037	ECOS1HP682CA		100 VDC Working, 125 VDC Surge					
	30 x 30	3.85	4.43	0.049	0.037	ECOS1HP682DA	470	22 x 20	1.00	1.15	0.459	0.298	ECOS2AP471BL
8200	25 x 45	4.41	5.07	0.040	0.030	ECOS1HP822CA		22 x 25	1.11	1.28	0.459	0.298	ECOS2AP471BA
	30 x 35	4.41	5.07	0.040	0.030	ECOS1HP822DA	560	22 x 25	1.32	1.52	0.385	0.250	ECOS2AP561BA
	10000	25 x 50	4.97	5.72	0.036	0.027		ECOS1HP103CA	680	22 x 25	1.61	1.85	0.317
12000	30 x 40	4.97	5.72	0.036	0.027	ECOS1HP103DA	25 x 20	1.10		1.27	0.366	0.238	ECOS2AP681CL
	35 x 30	4.97	5.72	0.036	0.027	ECOS1HP103EA	1000	22 x 30	1.96	2.25	0.216	0.140	ECOS2AP102BA
	15000	30 x 45	5.58	6.42	0.032	0.024		ECOS1HP123DA	25 x 25	1.96	2.25	0.216	0.140
18000	35 x 35	5.58	6.42	0.032	0.024	ECOS1HP123EA	30 x 20	1.20	1.38	0.249	0.162	ECOS2AP102DL	
	22000	35 x 50	7.57	8.71	0.021	0.017	ECOS1HP223EA	1200	22 x 35	2.31	2.66	0.193	0.126
63 VDC Working, 79 VDC Surge							1500		25 x 30	2.31	2.66	0.180	0.117
1000	22 x 20	1.20	1.38	0.381	0.286	ECOS1JP102BL		22 x 40	2.57	2.96	0.155	0.101	ECOS2AP152BA
	22 x 25	1.20	1.38	0.332	0.249	ECOS1JP102BA	25 x 30	2.57	2.96	0.155	0.101	ECOS2AP152CA	
1500	22 x 25	1.72	1.98	0.221	0.166	ECOS1JP152BA	30 x 25	2.57	2.96	0.155	0.101	ECOS2AP152DA	
	25 x 20	1.30	1.50	0.254	0.191	ECOS1JP152CL	1800	35 x 20	1.50	1.73	0.177	0.115	ECOS2AP152EL
1800	22 x 25	2.06	2.37	0.184	0.138	ECOS1JP182BA		22 x 45	2.84	3.27	0.129	0.084	ECOS2AP182BA
	2200	22 x 30	2.52	2.90	0.151	0.113	ECOS1JP222BA	25 x 35	2.84	3.27	0.138	0.090	ECOS2AP182CA
25 x 25		2.52	2.90	0.151	0.113	ECOS1JP222CA	30 x 30	2.84	3.27	0.138	0.090	ECOS2AP182DA	
30 x 20		1.50	1.73	0.173	0.130	ECOS1JP222DL	2200	22 x 50	3.14	3.61	0.121	0.078	ECOS2AP222BA
2700	22 x 35	3.73	4.29	0.123	0.092	ECOS1JP272BA		25 x 40	3.14	3.61	0.121	0.078	ECOS2AP222CA
	25 x 30	3.73	4.29	0.123	0.092	ECOS1JP272CA	30 x 30	3.14	3.61	0.121	0.078	ECOS2AP222DA	
	3300	22 x 40	4.10	4.72	0.105	0.079	ECOS1JP332BA	35 x 25	3.14	3.61	0.121	0.078	ECOS2AP222EA
25 x 30		4.10	4.72	0.105	0.079	ECOS1JP332CA	2700	25 x 45	3.71	4.27	0.104	0.068	ECOS2AP272CA
30 x 25		4.10	4.72	0.105	0.079	ECOS1JP332DA		30 x 35	3.71	4.27	0.104	0.068	ECOS2AP272DA
3900	35 x 20	1.70	1.96	0.126	0.094	ECOS1JP332EL	35 x 30	3.71	4.27	0.104	0.068	ECOS2AP272EA	
	22 x 45	4.44	5.11	0.098	0.073	ECOS1JP392BA	3300	25 x 50	4.06	4.67	0.090	0.059	ECOS2AP332CA
	25 x 35	4.44	5.11	0.098	0.073	ECOS1JP392CA		30 x 40	4.06	4.67	0.090	0.059	ECOS2AP332DA
4700	30 x 30	4.44	5.11	0.098	0.073	ECOS1JP392DA	3900	30 x 45	4.54	5.22	0.077	0.050	ECOS2AP392DA
	22 x 50	4.86	5.59	0.081	0.061	ECOS1JP472BA		35 x 35	4.54	5.22	0.081	0.052	ECOS2AP392EA
	25 x 40	4.86	5.59	0.081	0.061	ECOS1JP472CA	4700	30 x 50	5.13	5.90	0.071	0.049	ECOS2AP472DA
30 x 30	4.86	5.59	0.081	0.061	ECOS1JP472DA	35 x 40		5.13	5.90	0.071	0.049	ECOS2AP472EA	
5600	25 x 45	5.36	6.16	0.068	0.051	ECOS1JP562CA	6800	35 x 45	5.75	6.61	0.059	0.041	ECOS2AP562EA
	35 x 50	6.60	7.59	0.049	0.037	ECOS1JP682EA		35 x 50	6.60	7.59	0.049	0.037	ECOS2AP682EA

Design and specifications are subject to change without notice. Ask factory for technical specifications before purchase and/or use. Whenever a doubt about safety arises from this product, please contact us immediately for technical consultation.

TS-UP Standard Ratings (continued)

Cap. (μ F)	Size (mm) D x L	Max 85°C R.C. (A_{rms})		Max. 20°C ESR (Ω)		Panasonic Part Number	Cap. (μ F)	Size (mm) D x L	Max 85°C R.C. (A_{rms})		Max. 20°C ESR (Ω)		Panasonic Part Number
		120Hz	10kHz-	120Hz	20kHz				120Hz	10kHz-	120Hz	20kHz	
160 VDC Working, 200 VDC Surge							200 VDC Working, 250 VDC Surge (continued)						
220	22 x 20	0.75	1.05	0.980	0.490	ECOS2CP221BL	1500	30 x 45	3.87	5.42	0.144	0.072	ECOS2DP152DX
	22 x 25	0.91	1.27	0.829	0.414	ECOS2CP221BA		30 x 50	3.87	5.42	0.144	0.072	ECOS2DP152DA
270	22 x 25	1.19	1.67	0.675	0.338	ECOS2CP271BA	35 x 35	3.87	5.42	0.144	0.072	ECOS2DP152EX	
	25 x 20	0.87	1.22	0.798	0.399	ECOS2CP271CL	35 x 40	3.87	5.42	0.144	0.072	ECOS2DP152EA	
330	22 x 25	1.45	2.03	0.553	0.276	ECOS2CP331BA	1800	30 x 50	4.32	6.05	0.120	0.060	ECOS2DP182DX
390	22 x 25	1.62	2.27	0.468	0.234	ECOS2CP391BX		35 x 40	4.32	6.05	0.120	0.060	ECOS2DP182EX
	25 x 25	1.62	2.27	0.468	0.234	ECOS2CP391CA		35 x 45	4.32	6.05	0.120	0.060	ECOS2DP182EA
470	30 x 20	1.10	1.54	0.595	0.298	ECOS2CP391DL	2200	35 x 45	4.92	6.89	0.098	0.054	ECOS2DP222EX
	22 x 30	2.11	2.95	0.423	0.212	ECOS2CP471BA		35 x 50	4.92	6.89	0.098	0.054	ECOS2DP222EA
560	25 x 25	2.11	2.95	0.423	0.212	ECOS2CP471CA	250 VDC Working, 300 VDC Surge						
	22 x 30	2.25	3.15	0.355	0.178	ECOS2CP561BX	120	22 x 20	0.45	0.63	1.658	0.663	ECOS2EP121BL
680	22 x 35	2.25	3.15	0.355	0.178	ECOS2CP561BA	150	22 x 25	0.71	0.99	1.520	0.608	ECOS2EP121BA
	25 x 25	2.25	3.15	0.355	0.178	ECOS2CP561CX		22 x 25	0.89	1.25	1.216	0.486	ECOS2EP151BA
	25 x 30	2.25	3.15	0.355	0.178	ECOS2CP561CA	25 x 20	0.65	0.91	1.326	0.531	ECOS2EP151CL	
	35 x 20	1.30	1.82	0.414	0.207	ECOS2CP561EL	180	22 x 25	1.07	1.50	0.921	0.368	ECOS2EP181BA
	22 x 35	2.50	3.50	0.293	0.146	ECOS2CP681BX	220	22 x 25	1.17	1.64	0.754	0.301	ECOS2EP221BX
820	22 x 40	2.50	3.50	0.293	0.146	ECOS2CP681BA	270	30 x 20	0.87	1.22	0.829	0.332	ECOS2EP221DL
	25 x 30	2.50	3.50	0.293	0.146	ECOS2CP681CX		22 x 30	1.31	1.83	0.614	0.246	ECOS2EP271BA
	30 x 25	2.50	3.50	0.293	0.146	ECOS2CP681DA	25 x 25	1.31	1.83	0.614	0.246	ECOS2EP271CA	
1000	22 x 40	2.50	3.50	0.243	0.121	ECOS2CP821BX	330	22 x 35	1.75	2.45	0.553	0.221	ECOS2EP331BA
	22 x 45	2.75	3.85	0.263	0.131	ECOS2CP821BA		25 x 30	1.75	2.45	0.502	0.201	ECOS2EP331CA
	25 x 35	2.75	3.85	0.263	0.131	ECOS2CP821CA		35 x 20	1.10	1.54	0.553	0.221	ECOS2EP331EL
	30 x 25	2.75	3.85	0.263	0.131	ECOS2CP821DX	390	22 x 40	1.91	2.67	0.468	0.187	ECOS2EP391BA
30 x 30	2.75	3.85	0.263	0.131	ECOS2CP821DA	25 x 30		1.91	2.67	0.468	0.187	ECOS2EP391CX	
1200	25 x 35	2.75	3.85	0.263	0.131	ECOS2CP821EA	25 x 35	1.91	2.67	0.468	0.187	ECOS2EP391CA	
	22 x 45	3.00	4.20	0.216	0.108	ECOS2CP102BX	30 x 25	1.91	2.67	0.425	0.170	ECOS2EP391DA	
	25 x 40	3.00	4.20	0.216	0.108	ECOS2CP102CX	470	22 x 45	2.11	2.95	0.388	0.155	ECOS2EP471BA
	25 x 45	3.00	4.20	0.232	0.128	ECOS2CP102CA		25 x 35	2.11	2.95	0.388	0.155	ECOS2EP471CX
	30 x 30	3.00	4.20	0.232	0.128	ECOS2CP102DX	25 x 40	2.11	2.95	0.388	0.155	ECOS2EP471CA	
30 x 35	3.00	4.20	0.232	0.128	ECOS2CP102EA	30 x 25	2.11	2.95	0.353	0.141	ECOS2EP471DX		
35 x 30	3.00	4.20	0.232	0.128	ECOS2CP102EL	30 x 30	2.11	2.95	0.388	0.155	ECOS2EP471DA		
1500	25 x 50	3.25	4.55	0.207	0.114	ECOS2CP122CA	560	25 x 40	2.25	3.15	0.326	0.130	ECOS2EP561CX
	30 x 35	3.25	4.55	0.207	0.114	ECOS2CP122DA		25 x 45	2.25	3.15	0.326	0.130	ECOS2EP561CA
	35 x 30	3.25	4.55	0.207	0.114	ECOS2CP122EA		30 x 30	2.25	3.15	0.326	0.130	ECOS2EP561DX
25 x 50	3.73	5.22	0.166	0.091	ECOS2CP152CX	30 x 35		2.25	3.15	0.326	0.130	ECOS2EP561DA	
30 x 45	3.73	5.22	0.166	0.091	ECOS2CP152DA	35 x 25		2.25	3.15	0.326	0.130	ECOS2EP561EA	
1800	35 x 30	3.73	5.22	0.166	0.091	ECOS2CP152EA	680	25 x 45	2.50	3.50	0.268	0.107	ECOS2EP681CX
	35 x 35	3.73	5.22	0.166	0.091	ECOS2CP152EX		25 x 50	2.50	3.50	0.268	0.107	ECOS2EP681CA
	35 x 35	3.73	5.22	0.166	0.091	ECOS2CP152EL		30 x 35	2.50	3.50	0.268	0.107	ECOS2EP681DX
30 x 50	4.20	5.88	0.138	0.083	ECOS2CP182DA	30 x 40		2.50	3.50	0.268	0.107	ECOS2EP681DA	
2200	35 x 35	4.20	5.88	0.138	0.083	ECOS2CP182EX	35 x 30	2.50	3.50	0.268	0.107	ECOS2EP681EA	
	30 x 50	4.78	6.69	0.105	0.053	ECOS2CP222DX	820	30 x 40	2.50	3.50	0.222	0.089	ECOS2EP821DX
	35 x 40	4.78	6.69	0.113	0.073	ECOS2CP222EX		30 x 45	2.77	3.88	0.222	0.089	ECOS2EP821DA
35 x 45	4.78	6.69	0.113	0.073	ECOS2CP222EA	35 x 30		2.77	3.88	0.222	0.089	ECOS2EP821EX	
2700	35 x 50	5.45	7.63	0.092	0.060	ECOS2CP272EA	35 x 35	2.77	3.88	0.243	0.109	ECOS2EP821EA	
200 VDC Working, 250 VDC Surge							350 VDC Working, 400 VDC Surge						
150	22 x 20	0.65	0.91	1.326	0.597	ECOS2DP151BL	82	22 x 25	0.83	1.16	2.022	0.708	ECOS2VP820BA
	22 x 25	0.71	0.99	1.216	0.547	ECOS2DP151BA		100	22 x 30	0.91	1.27	1.658	0.580
220	22 x 25	1.04	1.46	0.829	0.373	ECOS2DP221BA	120	22 x 30	1.00	1.40	1.382	0.484	ECOS2VP121BA
	25 x 20	0.87	1.22	0.904	0.407	ECOS2DP221CL		25 x 25	1.00	1.40	1.382	0.484	ECOS2VP121CA
270	22 x 25	1.41	1.97	0.614	0.276	ECOS2DP271BA	150	22 x 35	1.12	1.57	1.105	0.387	ECOS2VP151BA
330	22 x 25	1.56	2.18	0.553	0.249	ECOS2DP331BX		25 x 25	1.12	1.57	1.105	0.387	ECOS2VP151CX
	30 x 20	1.00	1.40	0.603	0.271	ECOS2DP331DL		25 x 30	1.12	1.57	1.105	0.387	ECOS2VP151CA
390	22 x 30	1.68	2.35	0.468	0.210	ECOS2DP391BA	30 x 25	1.12	1.57	1.105	0.387	ECOS2VP151DA	
	25 x 25	1.68	2.35	0.468	0.210	ECOS2DP391CA	180	22 x 40	1.22	1.71	0.921	0.322	ECOS2VP181BA
470	22 x 35	1.85	2.59	0.388	0.175	ECOS2DP471BA		25 x 30	1.22	1.71	0.921	0.322	ECOS2VP181CX
	25 x 30	1.85	2.59	0.388	0.175	ECOS2DP471CA		25 x 35	1.22	1.71	0.921	0.322	ECOS2VP181CA
	35 x 20	1.30	1.82	0.459	0.206	ECOS2DP471EL		30 x 25	1.22	1.71	0.921	0.322	ECOS2VP181DA
560	22 x 40	2.43	3.40	0.326	0.147	ECOS2DP561BA		220	22 x 45	1.44	2.02	0.754	0.264
	25 x 30	2.43	3.40	0.326	0.147	ECOS2DP561CX	25 x 35		1.44	2.02	0.754	0.264	ECOS2VP221CX
	30 x 25	2.43	3.40	0.326	0.147	ECOS2DP561DA	25 x 40		1.44	2.02	0.754	0.264	ECOS2VP221CA
680	22 x 45	2.68	3.75	0.268	0.121	ECOS2DP681BA	30 x 25		1.44	2.02	0.754	0.264	ECOS2VP221DX
	25 x 35	2.68	3.75	0.268	0.121	ECOS2DP681CA	30 x 30		1.44	2.02	0.754	0.264	ECOS2VP221DA
	30 x 30	2.68	3.75	0.268	0.121	ECOS2DP681DA	35 x 25	1.44	2.02	0.754	0.264	ECOS2VP221EA	
820	25 x 45	2.93	4.10	0.222	0.100	ECOS2DP821BA	270	25 x 40	1.66	2.32	0.614	0.215	ECOS2VP271CX
	30 x 30	2.93	4.10	0.222	0.100	ECOS2DP821DX		30 x 30	1.66	2.32	0.614	0.215	ECOS2VP271DX
	30 x 35	2.93	4.10	0.222	0.100	ECOS2DP821EA		30 x 35	1.66	2.32	0.614	0.215	ECOS2VP271DA
	35 x 25	2.93	4.10	0.222	0.100	ECOS2DP821EL		35 x 25	1.66	2.32	0.614	0.215	ECOS2VP271EX
1000	25 x 45	3.25	4.55	0.199	0.090	ECOS2DP102CX							
	25 x 50	3.25	4.55	0.199	0.090	ECOS2DP102CA							
	30 x 35	3.25	4.55	0.199	0.090	ECOS2DP102DX							
	30 x 40	3.25	4.55	0.199	0.090	ECOS2DP102DA							
	35 x 30	3.25	4.55	0.199	0.090	ECOS2DP102EA							
1200	30 x 40	3.50	4.90	0.166	0.075	ECOS2DP122DX							
	30 x 45	3.50	4.90	0.166	0.075	ECOS2DP122DA							
	35 x 30	3.50	4.90	0.166	0.075	ECOS2DP122EX							
	35 x 35	3.50	4.90	0.166	0.075	ECOS2DP122EA							

Design and specifications are subject to change without notice. Ask factory for technical specifications before purchase and/or use. Whenever a doubt about safety arises from this product, please contact us immediately for technical consultation.

TS-UP Standard Ratings (continued)

Cap. (μ F)	Size (mm) D x L	Max. 85°C R.C. (A_{rms})		Max. 20°C ESR (Ω)		Panasonic Part Number
		120Hz	10kHz-	120Hz	20kHz	
350 VDC Working, 400 VDC Surge (continued)						
330	35 x 30	1.66	2.32	0.614	0.215	ECOS2VP271EA
	25 x 50	1.88	2.63	0.502	0.176	ECOS2VP331CA
	30 x 35	1.88	2.63	0.502	0.176	ECOS2VP331DX
	30 x 40	1.88	2.63	0.502	0.176	ECOS2VP331DA
390	35 x 30	1.88	2.63	0.502	0.176	ECOS2VP331EA
	25 x 50	2.06	2.88	0.425	0.149	ECOS2VP391CX
	30 x 40	2.06	2.88	0.425	0.149	ECOS2VP391DX
	30 x 45	2.06	2.88	0.468	0.164	ECOS2VP391DA
	35 x 30	2.06	2.88	0.425	0.149	ECOS2VP391EX
470	35 x 35	2.06	2.88	0.425	0.149	ECOS2VP391EA
	30 x 50	2.40	3.36	0.388	0.136	ECOS2VP471DA
	35 x 35	2.40	3.36	0.353	0.123	ECOS2VP471EX
560	35 x 40	2.40	3.36	0.353	0.123	ECOS2VP471EA
	30 x 50	2.60	3.64	0.326	0.114	ECOS2VP561DX
	35 x 40	2.60	3.64	0.296	0.104	ECOS2VP561EX
680	35 x 45	2.60	3.64	0.296	0.104	ECOS2VP561EA
	35 x 50	2.96	4.14	0.293	0.117	ECOS2VP681EX
820	35 x 50	2.96	4.14	0.293	0.117	ECOS2VP681EA
	35 x 50	3.55	4.97	0.243	0.097	ECOS2VP821EX
	35 x 50	3.55	4.97	0.243	0.097	ECOS2VP821EA
385 VDC Working, 435 VDC Surge						
47	22 x 20	0.25	0.35	4.233	1.481	ECOS2TP470BL
68	22 x 25	0.76	1.06	2.438	0.853	ECOS2TP680BA
	25 x 20	0.35	0.49	2.926	1.024	ECOS2TP680CL
82	22 x 25	0.83	1.16	2.022	0.708	ECOS2TP820BA
100	22 x 30	0.92	1.29	1.658	0.580	ECOS2TP101BA
	25 x 25	0.92	1.29	1.658	0.580	ECOS2TP101CA
	30 x 20	0.47	0.66	1.989	0.696	ECOS2TP101DL
120	22 x 35	1.02	1.43	1.382	0.553	ECOS2TP121BA
	25 x 25	1.02	1.43	1.382	0.553	ECOS2TP121CX
	25 x 30	1.02	1.43	1.382	0.553	ECOS2TP121CA
150	22 x 35	1.16	1.62	1.105	0.442	ECOS2TP151BX
	22 x 40	1.16	1.62	1.105	0.442	ECOS2TP151BA
	25 x 30	1.16	1.62	1.105	0.442	ECOS2TP151CA
	30 x 25	1.16	1.62	1.105	0.442	ECOS2TP151DA
	35 x 20	0.60	0.84	1.326	0.531	ECOS2TP151EL
180	22 x 40	1.44	2.02	0.921	0.368	ECOS2TP181BX
	22 x 45	1.44	2.02	0.921	0.368	ECOS2TP181BA
	25 x 30	1.44	2.02	0.921	0.368	ECOS2TP181CX
	25 x 35	1.44	2.02	0.921	0.368	ECOS2TP181CA
	30 x 25	1.44	2.02	0.921	0.368	ECOS2TP181DX
	30 x 30	1.44	2.02	0.921	0.368	ECOS2TP181DA
220	22 x 45	1.49	2.09	0.829	0.373	ECOS2TP221BX
	22 x 50	1.49	2.09	0.829	0.373	ECOS2TP221BA
	25 x 40	1.49	2.09	0.829	0.373	ECOS2TP221CA
	30 x 30	1.49	2.09	0.829	0.373	ECOS2TP221DA
270	25 x 45	1.67	2.34	0.675	0.304	ECOS2TP271CA
	30 x 35	1.67	2.34	0.675	0.304	ECOS2TP271DA
	35 x 25	1.67	2.34	0.675	0.304	ECOS2TP271EX
	35 x 30	1.67	2.34	0.675	0.304	ECOS2TP271EA
330	25 x 50	1.90	2.66	0.553	0.249	ECOS2TP331CX
	30 x 40	1.90	2.66	0.553	0.249	ECOS2TP331DA
	35 x 30	1.90	2.66	0.553	0.249	ECOS2TP331EX
	35 x 35	1.90	2.66	0.553	0.249	ECOS2TP331EA
390	30 x 45	2.13	2.98	0.468	0.210	ECOS2TP391DA
	35 x 35	2.13	2.98	0.468	0.210	ECOS2TP391EX
	35 x 40	2.13	2.98	0.468	0.210	ECOS2TP391EA
470	30 x 50	2.39	3.35	0.388	0.175	ECOS2TP471DA
	35 x 40	2.39	3.35	0.388	0.175	ECOS2TP471EX
	35 x 45	2.39	3.35	0.388	0.175	ECOS2TP471EA
560	35 x 45	2.69	3.77	0.326	0.147	ECOS2TP561EX
	35 x 50	2.69	3.77	0.326	0.147	ECOS2TP561EA
680	35 x 50	3.00	4.20	0.268	0.121	ECOS2TP681EX
	35 x 50	3.00	4.20	0.268	0.121	ECOS2TP681EA
400 VDC Working, 450 VDC Surge						
47	22 x 20	0.25	0.35	3.527	1.235	ECOS2GP470BL
68	22 x 25	0.47	0.66	3.527	1.235	ECOS2GP470BA
	25 x 20	0.35	0.49	2.926	1.024	ECOS2GP680CL
82	22 x 25	0.83	1.16	2.022	0.708	ECOS2GP820BA
100	22 x 30	0.92	1.29	1.658	0.580	ECOS2GP101BA
	25 x 25	0.92	1.29	1.658	0.580	ECOS2GP101CA
	30 x 20	0.47	0.66	1.989	0.696	ECOS2GP101DL
120	22 x 35	1.02	1.43	1.382	0.484	ECOS2GP121BA
	25 x 25	1.02	1.43	1.382	0.484	ECOS2GP121CX
	25 x 30	1.02	1.43	1.382	0.484	ECOS2GP121CA
150	22 x 40	1.16	1.62	1.105	0.387	ECOS2GP151BA
	25 x 30	1.16	1.62	1.105	0.387	ECOS2GP151CA
400 VDC Working, 450 VDC Surge						
47	22 x 20	0.25	0.35	3.527	1.235	ECOS2GP470BL
68	22 x 25	0.47	0.66	3.527	1.235	ECOS2GP470BA
	25 x 20	0.35	0.49	2.926	1.024	ECOS2GP680CL
82	22 x 25	0.83	1.16	2.022	0.708	ECOS2GP820BA
100	22 x 30	0.92	1.29	1.658	0.580	ECOS2GP101BA
	25 x 25	0.92	1.29	1.658	0.580	ECOS2GP101CA
	30 x 20	0.47	0.66	1.989	0.696	ECOS2GP101DL
120	22 x 35	1.02	1.43	1.382	0.484	ECOS2GP121BA
	25 x 25	1.02	1.43	1.382	0.484	ECOS2GP121CX
	25 x 30	1.02	1.43	1.382	0.484	ECOS2GP121CA
150	22 x 40	1.16	1.62	1.105	0.387	ECOS2GP151BA
	25 x 30	1.16	1.62	1.105	0.387	ECOS2GP151CA
400 VDC Working, 450 VDC Surge						
47	22 x 20	0.25	0.35	3.527	1.235	ECOS2GP470BL
68	22 x 25	0.47	0.66	3.527	1.235	ECOS2GP470BA
	25 x 20	0.35	0.49	2.926	1.024	ECOS2GP680CL
82	22 x 25	0.83	1.16	2.022	0.708	ECOS2GP820BA
100	22 x 30	0.92	1.29	1.658	0.580	ECOS2GP101BA
	25 x 25	0.92	1.29	1.658	0.580	ECOS2GP101CA
	30 x 20	0.47	0.66	1.989	0.696	ECOS2GP101DL
120	22 x 35	1.02	1.43	1.382	0.484	ECOS2GP121BA
	25 x 25	1.02	1.43	1.382	0.484	ECOS2GP121CX
	25 x 30	1.02	1.43	1.382	0.484	ECOS2GP121CA
150	22 x 40	1.16	1.62	1.105	0.387	ECOS2GP151BA
	25 x 30	1.16	1.62	1.105	0.387	ECOS2GP151CA
400 VDC Working, 450 VDC Surge						
47	22 x 20	0.25	0.35	3.527	1.235	ECOS2GP470BL
68	22 x 25	0.47	0.66	3.527	1.235	ECOS2GP470BA
	25 x 20	0.35	0.49	2.926	1.024	ECOS2GP680CL
82	22 x 25	0.83	1.16	2.022	0.708	ECOS2GP820BA
100	22 x 30	0.92	1.29	1.658	0.580	ECOS2GP101BA
	25 x 25	0.92	1.29	1.658	0.580	ECOS2GP101CA
	30 x 20	0.47	0.66	1.989	0.696	ECOS2GP101DL
120	22 x 35	1.02	1.43	1.382	0.484	ECOS2GP121BA
	25 x 25	1.02	1.43	1.382	0.484	ECOS2GP121CX
	25 x 30	1.02	1.43	1.382	0.484	ECOS2GP121CA
150	22 x 40	1.16	1.62	1.105	0.387	ECOS2GP151BA
	25 x 30	1.16	1.62	1.105	0.387	ECOS2GP151CA
400 VDC Working, 450 VDC Surge						
47	22 x 20	0.25	0.35	3.527	1.235	ECOS2GP470BL
68	22 x 25	0.47	0.66	3.527	1.235	ECOS2GP470BA
	25 x 20	0.35	0.49	2.926	1.024	ECOS2GP680CL
82	22 x 25	0.83	1.16	2.022	0.708	ECOS2GP820BA
100	22 x 30	0.92	1.29	1.658	0.580	ECOS2GP101BA
	25 x 25	0.92	1.29	1.658	0.580	ECOS2GP101CA
	30 x 20	0.47	0.66	1.989	0.696	ECOS2GP101DL
120	22 x 35	1.02	1.43	1.382	0.484	ECOS2GP121BA
	25 x 25	1.02	1.43	1.382	0.484	ECOS2GP121CX
	25 x 30	1.02	1.43	1.382	0.484	ECOS2GP121CA
150	22 x 40	1.16	1.62	1.105	0.387	ECOS2GP151BA
	25 x 30	1.16	1.62	1.105	0.387	ECOS2GP151CA
400 VDC Working, 450 VDC Surge						
47	22 x 20	0.25	0.35	3.527	1.235	ECOS2GP470BL
68	22 x 25	0.47	0.66	3.527	1.235	ECOS2GP470BA
	25 x 20	0.35	0.49	2.926	1.024	ECOS2GP680CL
82	22 x 25	0.83	1.16	2.022	0.708	ECOS2GP820BA
100	22 x 30	0.92	1.29	1.658	0.580	ECOS2GP101BA
	25 x 25	0.92	1.29	1.658	0.580	ECOS2GP101CA
	30 x 20	0.47	0.66	1.989	0.696	ECOS2GP101DL
120	22 x 35	1.02	1.43	1.382	0.484	ECOS2GP121BA
	25 x 25	1.02	1.43	1.382	0.484	ECOS2GP121CX
	25 x 30	1.02	1.43	1.382	0.484	ECOS2GP121CA
150	22 x 40	1.16	1.62	1.105	0.387	ECOS2GP151BA
	25 x 30	1.16	1.62	1.105	0.387	ECOS2GP151CA
400 VDC Working, 450 VDC Surge						
47	22 x 20	0.25	0.35	3.527	1.235	ECOS2GP470BL
68	22 x 25	0.47	0.66	3.527	1.235	ECOS2GP470BA
	25 x 20	0.35	0.49	2.926	1.024	ECOS2GP680CL
82	22 x 25	0.83	1.16	2.022	0.708	ECOS2GP820BA
100	22 x 30	0.92	1.29	1.658	0.580	ECOS2GP101BA
	25 x 25	0.92	1.29	1.658	0.580	ECOS2GP101CA
	30 x 20	0.47	0.66	1.989	0.696	ECOS2GP101DL
120	22 x 35	1.02	1.43	1.382	0.484	ECOS2GP121BA
	25 x 25	1.02	1.43	1.382	0.484	ECOS2GP121CX
	25 x 30	1.02	1.43	1.382	0.484	ECOS2GP121CA
150	22 x 40	1.16	1.62	1.105	0.387	ECOS2GP151BA
	25 x 30	1.16	1.62	1.105	0.387	ECOS2GP151CA
400 VDC Working, 450 VDC Surge						

TS-UP Standard Ratings (continued)

Cap. (μ F)	Size (mm) D x L	Max. 85°C R.C. (A_{ms})		Max. 20°C ESR (Ω)		Panasonic Part Number
		120Hz	10kHz-	120Hz	20kHz	
450 VDC Working, 500 VDC Surge (continued)						
270	35 x 35	1.78	2.49	0.675	0.270	ECOS2WP271EA
330	30 x 50	2.01	2.81	0.553	0.249	ECOS2WP331DA
	35 x 35	2.01	2.81	0.553	0.221	ECOS2WP331EX
	35 x 40	2.01	2.81	0.553	0.249	ECOS2WP331EA
390	35 x 45	2.24	3.14	0.510	0.255	ECOS2WP391EA
470	35 x 45	2.53	3.54	0.423	0.233	ECOS2WP471EA
	35 x 50	2.53	3.54	0.423	0.233	ECOS2WP471EA
500 VDC Working, 550 VDC Surge (continued)						
47	22 x 25	0.63	0.88	3.527	1.411	ECOS2HP470BA
56	22 x 30	0.70	0.98	2.960	1.184	ECOS2HP560BA
68	22 x 35	0.78	1.09	2.438	0.975	ECOS2HP680BA
	25 x 25	0.78	1.09	2.438	0.975	ECOS2HP680CA
82	22 x 40	0.88	1.23	2.022	0.809	ECOS2HP820BA
	25 x 30	0.88	1.23	2.022	0.809	ECOS2HP820CA
100	22 x 45	0.99	1.39	1.658	0.663	ECOS2HP101BA
	25 x 35	0.99	1.39	1.658	0.663	ECOS2HP101CA
120	22 x 50	1.13	1.58	1.382	0.553	ECOS2HP121BA
	25 x 40	1.13	1.58	1.382	0.553	ECOS2HP121CA
	30 x 30	1.13	1.58	1.382	0.553	ECOS2HP121DA
150	25 x 45	1.29	1.80	1.105	0.442	ECOS2HP151CA
	30 x 35	1.29	1.80	1.105	0.442	ECOS2HP151DA
	35 x 25	1.20	1.68	1.105	0.442	ECOS2HP151EA
180	25 x 50	1.38	1.93	0.921	0.368	ECOS2HP181CA
	30 x 40	1.38	1.93	0.921	0.368	ECOS2HP181DA
	35 x 30	1.36	1.90	0.921	0.368	ECOS2HP181EA
220	30 x 45	1.50	2.10	0.754	0.339	ECOS2HP221DA
	35 x 35	1.54	2.16	0.754	0.301	ECOS2HP221EA
270	35 x 40	1.76	2.46	0.614	0.276	ECOS2HP271EA
330	35 x 45	1.99	2.79	0.502	0.251	ECOS2HP331EA
390	35 x 50	2.22	3.11	0.425	0.234	ECOS2HP391EA