

# VS-PPC-F1-SCRJ-POBK-1RF



Order No.: 1608210



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1608210>

SCRJ panel mounting frame, IP67, for push-pull interlocking, plastic, with the Freenet system, for square panel cutout, with grommet, without mounting screws



Commercial data		Product notes
GTIN (EAN)	 4 046356 159890	WEEE/RoHS-compliant since: 09/27/2006
sales group	D520	
Pack	1 pcs.	
Customs tariff	85366990	
Catalog page information	Page 243 (PC-2009)	

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

Mechanical characteristics	
Insertion/withdrawal cycles	≥ 500
Color	black
Ambient temperature (operation)	-20 °C ... 70 °C

**Material data**


Inflammability class acc. to UL 94	V0
Housing material	PA-GF
Sealing material	NBR
Seal material	NBR
Degree of protection	IP65/IP67

**Electrical characteristics**


Pollution degree	2
------------------	---

**Diagrams/Drawings**

Dimensioned drawing



Push-Pull SCRJ panel mounting frame



Panel cutout

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;