


PSM-SET-SCRJ-DUP/2-HCS

Order No.: 2313070



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2313070>

SCRJ connector set for HCS fiber, for self assembly, consisting of 2 duplex quick mounting connectors with bending protection

Commercial data	
GTIN (EAN)	 4 046356 098847
sales group	H628
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 522 (IF-2009)

Product notes

WEEE/RoHS-compliant since:
01/26/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General data	
Type of plug	SCRJ / IEC 61754-24, EN 50377-6-1
FO fiber	HCS fiber
Attenuation	< 2 dB

Accessories

Item	Designation	Description
Cable/conductor		
2901555	FOC-HCS-RUGGED-1014/ IP20/...	rugged HCS installation cable (IP20 heads only) for inner areas with highly tear-proof aramid strain-relief elements. Individual elements made from highly flexible FRNC material. The cable is halogen-free, ozone and UV resistant and has a rugged polyurethane (PUR) outer sheath.
2901557	FOC-HCSO-1015/IP20/...	Highly rugged HCS round cable (IP20 heads only) for assembly and for outdoor installation with integrated moisture barrier as well as rodent-proof scrim. Individual elements made from highly flexible FRNC material. The wire is ozone and UV resistant with a very rugged polyethylene outer sheath.
2799885	PSM-LWL-HCS- RUGGED-200/230	HCS cable, duplex 200/230 µm, by the meter, without connector, for indoor installation
2799445	PSM-LWL-HCSO-200/230	HCS cable, duplex 200/230 µm, by the meter, without connector, for outdoor installation
Tools		
2708876	PSM-HCS-KONFTOOL/SC-RJ	HCS assembly kit for SCRJ quick mounting connectors, including stripping blade, stripping pliers, aramide yarn scissors, fiber stripper, microscope, fiber cleaving tool for standard HCS and HCS GI fibers, and documentation

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;