



# Consumer Aftermarket Product Catalog

Specialty and High Amp Fuses, and Fusible Links

## Specialty and High Amp Fuses & Fusible Links

### AMG High Amp Stud-Mount Fuses

Part No. (Amps)	Blister Pack
AMG-100	
AMG-125	
AMG-150	
AMG-175	X
AMG-200	
AMG-225	
AMG-250	
AMG-300	

Used for high current applications on selected late model vehicles. AMG fuses are available in amp ratings from 100A to 300A. HMEG fuse block with splash-proof cover is also available.



### AMI High Amp Stud-Mount Fuses

Part No. (Amps)
AMI-40
AMI-50
AMI-80

These high amp fuses are used in power distribution protection for automotive systems on some late model cars. AMI fuses are available in amp ratings: 40, 50, and 80A. Uses HMIID fuse holder.



### CBBF Battery Fuses

These fuses are suitable for main and auxiliary circuit protection (alternator outputs, starter motor inputs and accessories) in demanding environments or tight space constraints. Marine-rated under SAE J1117 for ignition protection. Mounting bar and cover available (Part No. CBBF-MBC).



Part No. (Amps)			
CBBF-30	CBBF-75	CBBF-125	CBBF-225
CBBF-40	CBBF-80	CBBF-150	CBBF-250
CBBF-50	CBBF-90	CBBF-175	CBBF-300
CBBF-60	CBBF-100	CBBF-200	

### FMX and Low-Profile Female Maxi Fuses

Developed to meet the growing OEM demand for smaller components, the FMX and low-profile FMX Female Maxi fuses offer high amp protection in compact packages. Both FMX and low-profile FMX fuses are available in amp ratings from 20 to 60A.

Color Code	Part No. (Amps)	Blister Pack	Tri-Lingual Blister
Blue	FMX-20	X	X
Pink	FMX-30	X	X
Green	FMX-40	X	X
Red	FMX-50	X	X
Yellow	FMX-60	X	X



### FMX\_LP Low-Profile Female Maxi Fuses

Color Code	Part No. (Amps)	Blister Pack
Blue	FMX-20LP	X
White	FMX-25LP	
Pink	FMX-30LP	X
Green	FMX-40LP	X
Red	FMX-50LP	X
Yellow	FMX-60LP	X



### FL Series Fusible Links

Used primarily in Japanese-designed car models to provide wiring harness protection.


#### FL Series Fusible Link Color Codes (Amps)

Color	FLB	FLD	FLF	FLM	FLN	FLS
Light Blue	-	-	20			
Pink	30	30	30	30	-	30
Green	40	40	40	-	30	40
Red	50	50	50	-	-	-
Yellow	60	-	60	60	-	-
Brown	70	-	-	-	25	-
Black	80	80	-	80	-	-
Blue	100	100	-	100	-	-
Gray	120	-	-	120	-	-
Maroon	140	-	-	-	-	-

### FLB Bolt-Mount Fusible Links

Bolts into fuse block, 1/16" bolt terminal.


Part No. (Amps)	Blister Pack	Tri-Lingual Blister
FLB-30	X	
FLB-40	X	
FLB-50	X	
FLB-60	X	X
FLB-70	X	X
FLB-80	X	
FLB-100	X	
FLB-120	X	
FLB-140	X	



### FLD Bolt-Mount Fusible Links

Bolts into fuse block, 9/16" bolt terminal.

Part No. (Amps)	Blister Pack
FLD-30	X
FLD-40	X
FLD-50	X
FLD-80	X
FLD-100	X
FLD-120	X
FLD-140	X



### FLF Female Termination Fusible Links

Female terminations.

Part No. (Amps)	Blister Pack	Tri-Lingual Blister
FLF-20	X	X
FLF-30	X	X
FLF-40	X	X
FLF-50	X	X
FLF-60	X	X



## Specialty and High Amp Fuses & Fusible Links

### FLM Male Termination Fusible Links

Part No. (Amps)	Blister Pack	Tri-Lingual Blister
FLM-30	X	
FLM-60	X	X
FLM-80	X	X
FLM-100	X	X
FLM-120	X	



### FLN Female Termination Fusible Links With Locking Tab

Part No. (Amps)	Blister Pack
FLN-25	
FLN-30	X



### FLS Female Miniature Termination Fusible Links

Part No. (Amps)	Blister Pack
FLS-30	X
FLS-40	X



### Fusible Links and Fusible Link Wire

14Vdc BP/FL-14 and BP/FL-16 kits includes 9" length fusible link wire with printed label attached indicating wire gauge numbers; two different ring terminals and crimp connector.

Part No.	Description
BP/FL-14	9-inches of 14 gauge fusible link wire with $\frac{3}{16}$ " and $\frac{5}{16}$ " terminals and crimp connector.
BP/FL-16	9-inches of 16 gauge fusible link wire with $\frac{1}{4}$ " and $\frac{5}{16}$ " terminals and crimp connector.
BP/FLW-14	Six foot coil of 14 gauge fusible link wire.



### ANN & ANL Current Limiters

Often used to protect charging systems in battery-operated forklifts, golf carts and similar applications. These rugged, reliable fuses offer high amp ratings in a compact size just  $\frac{7}{16}$ " x  $3\frac{3}{16}$ ".

Durable glass-laminated melamine body and riveted construction offer superior service life in heavy-duty applications. Clear window provides open-fuse indication.

### ANN Very Fast-Acting Current Limiters

For applications up to 800 amps. Uses SFR fuse block.

Part No. (Amps)
ANN-10
ANN-35
ANN-40
ANN-50
ANN-60
ANN-80
ANN-90
ANN-100
ANN-125
ANN-150
ANN-175
ANN-200
ANN-225
ANN-250
ANN-275
ANN-300
ANN-325
ANN-350
ANN-400
ANN-500
ANN-600
ANN-700
ANN-800



### ANL Non Time-Delay Current Limiters

For applications up to 750 amps. Uses SFR fuse block.

Part No. (Amps)
ANL-35
ANL-40
ANL-50
ANL-60
ANL-80
ANL-100
ANL-125
ANL-130
ANL-150
ANL-175
ANL-200
ANL-225
ANL-250
ANL-275
ANL-300
ANL-325
ANL-350
ANL-400
ANL-500
ANL-600
ANL-675
ANL-750

