




Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
 Property of c. BERG ELECTRONICS. Copyright BERG ELECTRONICS by

All rights strictly reserved. Reproduction or communication to other parties, in any form, without written authority from the proprietor.
 Property of c. BERG ELECTRONICS. Copyright BERG ELECTRONICS by

PRODUCT NO.
74032



PRODUCT NUMBER CODE

7 4 0 3 2 - X 0 X LF

BASE PRODUCT NUMBER

HOUSING COLOR OPTION
 0 - WHITE
 1 - BLACK

TERMINAL PLATING OPTION
 1 - 30 u" GXT IN CONTACT AREA
 3 - 30u" Au IN CONTACT AREA

LEAD FREE OPTION
 (SELECTED OR NOT SELECTED)
 LF - TIN/LEAD PLATING ON TERMINAL WILL BE REPLACED WITH PURE TIN PLATING

- NOTES:
- 1.MATERIAL:
 SHIELD: SPCC
 CONTACTS : COPPER ALLOY
 HOUSING : UL 94V-0 THERMOPLASTIC COLOR: SEE PRODUCT NUMBER CODE
 - 2.CONTACT PLATING : SEE PRODUCT NUMBER CODE
 - 3.SHIELD PLATING : 2.5 um MINIMUM NICKEL
 - 4.PRINT IS ONLY FOR ASSEMBLY REFERENCE
 5. P/N'S WITH SUFFIX "LF" ARE LEAD FREE P/N'S
 6. PACKING STANDARD GS-14-920 WILL BE APPLIED FOR LEAD FREE P/N'S
 7. FOR LEAD FREE P/N, THE PRODUCT MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008
 8. FOR LEAD FREE P/N, THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 40 SECONDS IN A CONVECTION, INFRO-RED OR VAPOR PHASE REFLOW OVEN.

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com
rev.	ecn no.	dr	date	linear	
A	T70418	P	10/06/97	.0 ± 0.3	
B	T80068	P	02/16/98	.00 ± 0.20	
C	T80388	P	08/27/98	.000 ± 0.10	
D	T80579	P	12/21/98	angles ± 2"	
E	T20162	W	05/20/02	dr PETER PAM 08/14/97	unit
F	N05-0097	PH	03/31/05	chr R Y LIU 08/14/97	scale
				appd JENN TSAO 08/14/97	product family USB
sheet	revision	F			size
index	sh				A3
					dwg no.
					74032
					code
					1 OF 1

PDM: Rev:F STATUS: Released Printed: Jul 28, 2010