





PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89037-X01/X01LF	1.6	2.90
89037-X11/X11LF	2.4	3.53



PRODUCT AFTER PC BOARD APPLICATION.

PC BOARD THICKNESS ±0.20

NOTES:




- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
- 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3 INDICATED HOLES ARE UNPLATED.
- 4 FOR PLATING SPEC, REFER TO DRAWING 10097866.
- 5 PRODUCT MARKING: PARTNUMBER & BATCH ID.
- 6 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- 7 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
- 8 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:


DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code	tolerances unless otherwise specified	CUSTOMER COPY	FCG
lin/cn/nd/ar	date	03/03	www.fcgconnection.com
J 3006-001	cls	0.00010	
K 3006-018	cmh	0.00010	
L 3007-017	cmh	0.00010	
M 3008-017	TER	0.00010	
N 3009-008	cmh	0.00010	
P 3009-037	cmh	0.00010	
sheet	revision	P	P
index	sheet	1	2



PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM*A*
89037-X02/X02LF	1.6	2.90
89037-X12/X12LF	2.4	3.53



14.64 REF. SEE NOTE 6



RECOMMENDED HOLE PATTERN, COMPONENT SIDE.



NOTES:

- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
- 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3 INDICATED HOLES ARE UNPLATED.
- 4 FOR PLATING SPEC, REFER TO DRAWING 10097866.
- 5 PRODUCT MARKING: PARTNUMBER & BATCH ID.
- 6 SET BACK FOR PRESS BLOCK.
- 7 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- 8 TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD
- 9 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-99-008
- 10 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:

DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code	tolerances unless otherwise specified	CUSTOMER COPY	FCG
linear	0.05/0.13	projection	www.fcconnection
angles	0.001/0.001	title	RA FEMALE SIGNAL
dr	0.2	product family	48 mm PRESS PEG
engr	P. Schaik 970529	scale	METRAL(tn)
chr	P. Schaik 970529	5:1	code
app	H. Coolmans 970529	A2	89037
sheet	revision	sheet	code
index	sheet	sheet	213
			2 of 2





PDM: Rev:P

STATUS: Released

Printed: Dec-02-2009

All rights are reserved. Reproduction or translation in any form is prohibited without written permission from the proprietor. Property of F.C.T. Inc. © F.C.T. Inc.

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM*A*
89037-X03/X03LF	1,6	2,90
89037-X13/X13LF	2,4	3,53



PRODUCT AFTER PC BOARD APPLICATION.

PC BOARD THICKNESS ±0.20

NOTES:

- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
- 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3 INDICATED HOLES ARE UNPLATED.
- 4 FOR PLATING SPEC, REFER TO DRAWING 10097866.
- 5 PRODUCT MARKING: PARTNUMBER & BATCH ID.
- 6 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- 7 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
- 8 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:

DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code	tolerances unless otherwise specified	CUSTOMER COPY	www.fccconnection
linear	0.05/0.13	projection	title RA FEMALE SIGNAL
angles	0.12/0.251	1	48 mm PRESS PEG
dr	Heaven Em 11/23/06	mm	product family METRAL(tn)
engr	Colles Lu 11/23/06	51	code 89037
chr	Beer Fu 11/23/06	scale	sheet 213
app	Joseph Hsa 11/23/06	A2	3 of 3
sheet	revision		
index	sheet		

PDM: Rev:P

STATUS:Released

Printed: Dec-02-2009

All rights are reserved. Reproduction or translation without prior written permission is prohibited. Property of FCC Inc. © FCC Inc.