






All rights strictly reserved. Reproduction or use in any form without the prior written permission of FCI is prohibited.

PC BOARD VERSIONS		
PRODUCT NR.	PCB THICKNESS	DIM A*
89036-X01/X01LF	1.6	2.90
89036-X11/X11LF	2.4	3.53



- NOTES:**
- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETARDANT ACC. UL 94-V0
  - 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
  - 3 PLATING SOLDER TAILS 2-8  $\mu$ m SnPb 90-97 OR 2-8  $\mu$ m PURE Sn
  - 4 INDICATED HOLES ARE UNPLATED.
  - 5 PRODUCT MARKING: PART NUMBER & BATCH ID.
  - 6 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
  - 7 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
  - 8 THE HOUSING WILL WITHSTAND EXPOSURE TO 260 DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR.	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL







mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
l	tr	cn	ng	dr	date	proj	title
J	3004-001	clu	04/01	linear		RA	FEMALE SIGNAL
K	3004-018	lenh	11/23/06			24	mm PRESS PEG
L	3007-071	lenh	05/23/07	angles			
M	3008-071	lenh	8/26/08	dr	h	product	family
N	3009-002	lenh	06/06/09	engr	N	drawng	no
		appd	J	mntjes	930893	scale	A2
					930893	51	89036
sheet	revision	N	N	N			
inex	sheet	1	2	3			

This data sheet is reserved. Reproduction or use of this data sheet without the prior written permission of FCI is prohibited.



All rights are reserved. Reproduction or use of this data sheet without the prior written permission of FCI is prohibited.

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM*A*
89036-X02/X02LF	1.6	2.90
89036-X12/X12LF	2.4	3.53








PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

- NOTES:
- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETARDANT ACC. UL 94-V0
  - 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
  - 3 PLATING SOLDER TAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn
  - 4 INDICATED HOLES ARE UNPLATED.
  - 5 PRODUCT MARKING: PARTNUMBER & BATCH ID.
  - 6 SET BACK FOR PRESS BLOCK.
  - 7 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
  - 8 TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD
  - 9 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
  - 10 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

mat'l code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
l	tr	ec	nd	ar	date	projection	title
							RA FEMALE SIGNAL
							24 mm PRESS PEG
							product family METAL(TN)
							code 89036
							sheet 2 of 2
sheet	revision						
index	sheet						

All rights are reserved. Reproduction or use of any part of this drawing without the written permission of FCI is prohibited.  
 Toute réimpression ou utilisation de tout ou partie sans l'autorisation écrite de FCI est formellement interdite.

PC BOARD VERSIONS		
PRODUCT NR:	PCB THICKNESS	DIM "A"
89036-X03/X03LF	1.6	2.90
89036-X13/X13LF	2.4	3.53



- NOTES:**
- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETARDANT ACC. UL 94-V0
  - 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
  - 3 PLATING SOLDER TAILS 2-8 µm SnPb 90-97 OR 2-8 µm PURE Sn
  - 4 INDICATED HOLES ARE UNPLATED.
  - 5 PRODUCT MARKING: PART NUMBER & BATCH ID.
  - 6 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
  - 7 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
  - 8 THE HOUSING WILL WITHSTAND EXPOSURE TO 260 DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY	
lin	ecn	ngdr	date	projection	title
				1st angle	RA FEMALE SIGNAL
				mm	24 mm PRESS PEG
				scale	product family METRAL(tn)
				5:1	code
					89036
					sheet
					3 of 3