

Product Details for 5536299

- 6 .050 Centerline Micro

-Strip Connectors

RoHS Compliant (Statement of Compliance)

No Image Available

Active

Product Highlights:

- Connector
- Number of Positions = 140
- Mating Type = Receptacle
- Termination Post Length = 4.57 mm
- Standard Body Shape

View all Features

Quick Links

Check Pricing & Availability Search for Tooling Product Feature Selector Contact Us About This Product

Documentation & Additional Information

-6

Product Drawings:

5536299

RECEPTACLE ASSEMBLY, RIGHT ANGLE, 4.57[.180] TAIL, B... (PDF, English)

Catalog Pages/Data Sheets:

? None Available

Product Specifications:

2 Connector, Micro - Strip, Board To Board (PDF, English)

Application Specifications:

² Micro - Strip Board - To - Board Plug and Receptacle Conne... (PDF,

Instruction Sheets:

? None Available

CAD Files:

? None Available

Additional Information:

Product Line Information

Related Products:

? Tooling

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- ? Product Type = Connector
- ? Number of Positions = 140
- ? Mating Type = Receptacle
- Pody Shape = Standard
- ? Mount Angle = Right Angle
- ? Special PCB Retention = Without
- ? Guides = Without
- ? Flame Retardant = Yes

Mechanical Attachment:

- ? Receptacle Bus Material = Phosphor Bronze
- ? Receptacle Contact Material = Phosphor Bronze

Termination Related Features:

- ? Termination Post Length (mm [in]) [0.180]
- ? Receptacle Bus Mating Area Plating = Gold (30)
- ? Receptacle Bus Termination Area Plating = Matte Tin with Nickel underplated

Contact Related Features:

List all Documents

- Receptacle Contact Mating Area Plating = Gold
- Receptacle Contact Termination Area Plating = Matte Tin with Nickel underplated

Housing Related Features:

- ? Housing Material = Thermoplastic
- ? Housing Temperature Rating = High

Industry Standards:

- ? RoHS/ELV Compliance = RoHS compliant, ELV compliant
- ? Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260° C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

Other:

? Brand = AMP

 $\textbf{Languages} \quad : \textbf{English} \, | \quad \underline{\textbf{Deutsch}} \, | \quad \underline{\textbf{Español}} \, | \quad \underline{\textbf{Português}} \, (\textbf{do Brasil}) \quad \underline{???????} \, | \quad \underline{\textbf{Italiano}} \, | \quad \underline{????} \, (??) \, | \quad \underline{??} \, (??) \, | \quad \underline{???} \, (??) \, | \quad \underline{??} \, (??) \, | \quad \underline{??} \, (??) \, | \quad \underline{??} \, | \quad \underline{??} \, (??) \, | \quad \underline{??} \, | \quad \underline{??}$ Country Sites : China | Japan