




This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecm no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
AG					0.XX ±0.13	projection	title METRAL SIGNAL HEADER		
				angles	.XXX ±.051			2 MOD, 4 ROW PRESS-FIT	
				dr	° ±2°			product family	METRAL
				engr	T. BRUNGARD 11/19/99	scale	A	size	dwg no
				chr	M. STRAWSER 11/19/99	1:1		70233	
				oppd	M. STRAWSER 02/29/00			code 213	
sheet index	revision sheet								sheet 2
								code code	22526

Pro/E 3 | 4

PDM: Rev:AG STATUS:Released Printed: Feb 20, 2010



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X10 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X15 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X20 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5	5	5	5	5
	C	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6
	A	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X11 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X16 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X21 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5	5	5	5	5
	C	5	5	5	5	5	5	5	5	5	5
	B	5	5	5	5	5	5	5	5	5	5
	A	5	5	5	5	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X12 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X17 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3	3	3	3	3
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X22 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5	5	5	5	5
	C	5	5	5	5	5	5	5	5	5	5
	B	5	5	5	5	5	5	5	5	5	5
	A	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X13 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3	3	3	3	3
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X18 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3	3	3	3	3
	C	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X23 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7	7	7
	C	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6
	A	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X14 SEE NOTE 11 LEAD FREE OPTION	D	4	4	4	4	4	4	4	4	4	4
	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X19 SEE NOTE 11 LEAD FREE OPTION	D	4	4	4	4	4	4	4	4	4	4
	C	4	4	4	4	4	4	4	4	4	4
	B	4	4	4	4	4	4	4	4	4	4
	A	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
70233-X24 SEE NOTE 11 LEAD FREE OPTION	D	8	8	8	8	8	8	8	8	8	8
	C	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7
	A	8	8	8	8	8	8	8	8	8	8

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.13	projection	COPY	title	METRAL SIGNAL HEADER		
AG				angles	.XXX ±.051			2 MOD, 4 ROW PRESS-FIT			
				dr	T.BRUNGARD 11/19/99			product family	METRAL		code
				eng	M.STRAWER 11/19/99	scale		size	dwg no	213	
				chr	M.STRAWER 11/19/99	1:1		70233		sheet	
				appd	M.STRAWER 02/29/00					3	
sheet index	revision									B	



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X25 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7
70233-X26 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6
70233-X27 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7
	C	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6
	A	5	5	5	5	5	5	5	5
70233-X28 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7
	C	5	5	5	5	5	5	5	5
	B	5	5	5	5	5	5	5	5
	A	5	5	5	5	5	5	5	5
70233-X29 SEE NOTE 11 LEAD FREE OPTION	D	8	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8	8
	B	8	8	8	8	8	8	8	8
	A	8	8	8	8	8	8	8	8

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X30 SEE NOTE 11 LEAD FREE OPTION	D	9	9	9	9	9	9	9	9
	C	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10
	A	11	11	11	11	11	11	11	11
70233-X31 SEE NOTE 11 LEAD FREE OPTION	D	9	9	9	9	9	9	9	9
	C	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9
	A	9	9	9	9	9	9	9	9
70233-X32 SEE NOTE 11 LEAD FREE OPTION	D	9	9	9	9	9	9	9	9
	C	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11
70233-X33 SEE NOTE 11 LEAD FREE OPTION	D	11	11	11	11	11	11	11	11
	C	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10
	A	11	11	11	11	11	11	11	11
70233-X34 SEE NOTE 11 LEAD FREE OPTION	D	12	12	12	12	12	12	12	12
	C	11	11	11	11	11	11	11	11
	B	11	11	11	11	11	11	11	11
	A	12	12	12	12	12	12	12	12

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X35 SEE NOTE 11 LEAD FREE OPTION	D	11	11	11	11	11	11	11	11
	C	11	11	11	11	11	11	11	11
	B	11	11	11	11	11	11	11	11
	A	11	11	11	11	11	11	11	11
70233-X36 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10
	A	10	10	10	10	10	10	10	10
70233-X37 SEE NOTE 11 LEAD FREE OPTION	D	11	11	11	11	11	11	11	11
	C	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10
	A	9	9	9	9	9	9	9	9
70233-X38 SEE NOTE 11 LEAD FREE OPTION	D	11	11	11	11	11	11	11	11
	C	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9
	A	9	9	9	9	9	9	9	9
70233-X39 SEE NOTE 11 LEAD FREE OPTION	D	12	12	12	12	12	12	12	12
	C	12	12	12	12	12	12	12	12
	B	12	12	12	12	12	12	12	12
	A	12	12	12	12	12	12	12	12

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	www.fciconnect.com	title	
AG				angles	0.XX ±0.13		METRAL SIGNAL HEADER		
					.XXX ±.051	MM	2 MOD, 4 ROW PRESS-FIT		
				dr	±2°	scale	product family	METRAL	code
				eng	T. BRUNGARD 11/19/99	1:1	size	dwg no	213
				chr	M. STRAWSER 11/19/99				sheet
				appd	M. STRAWSER 02/29/00				4
sheet index	revision	sheet							

REV E - 2006-04-18

Pro/E

PDM: Rev:AG

STATUS:Released

Printed: Feb 20, 2010

code code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X40 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2
	B	4	4	4	4	4	4	4	4
	A	2	2	2	2	2	2	2	2
70233-X41 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2
	A	4	4	4	4	4	4	4	4
70233-X42 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1
	A	2	2	2	2	2	2	2	2
70233-X43 SEE NOTE 11 LEAD FREE OPTION	D	13	13	13	13	13	13	13	13
	C	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3
70233-X44 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2
	C	3	3	3	3	3	3	3	3
	B	4	4	4	4	4	4	4	4
	A	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X45 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1
	C	2	2	2	2	2	2	2	2
	B	3	3	3	3	3	3	3	3
	A	4	4	4	4	4	4	4	4
70233-X46 SEE NOTE 11 LEAD FREE OPTION	D	19	19	19	19	19	19	19	19
	C	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3
70233-X47 SEE NOTE 11 LEAD FREE OPTION	D	4	4	4	4	4	4	4	4
	C	4	4	4	4	4	4	4	4
	B	13	13	13	13	13	13	13	13
	A	13	13	13	13	13	13	13	13
70233-X48 SEE NOTE 11 LEAD FREE OPTION	D	19	19	19	19	19	19	19	19
	C	19	19	19	19	19	19	19	19
	B	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19
70233-X49 SEE NOTE 11 LEAD FREE OPTION	D	4	4	4	4	4	4	4	4
	C	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X50 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6
	B	8	8	8	8	8	8	8	8
	A	6	6	6	6	6	6	6	6
70233-X51 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6
	A	8	8	8	8	8	8	8	8
70233-X52 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5	5	5
	C	5	5	5	5	5	5	5	5
	B	5	5	5	5	5	5	5	5
	A	6	6	6	6	6	6	6	6
70233-X53 SEE NOTE 11 LEAD FREE OPTION	D	14	14	14	14	14	14	14	14
	C	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7
70233-X54 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6
	C	7	7	7	7	7	7	7	7
	B	8	8	8	8	8	8	8	8
	A	7	7	7	7	7	7	7	7

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com		
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	title	METRAL SIGNAL HEADER		
AG				angles	.XXX ±.051		2 MOD, 4 ROW PRESS-FIT			
				dr	±.2*		product family	METRAL		code
				eng	T.BRUNGARD 11/19/99		size	dwg no		213
				ctr	M.STRAWSER 11/19/99		A	70233		sheet
				appd	M.STRAWSER 02/29/00	scale	1:1		5	
sheet index	revision	sheet								

REV E - 2006-04-18

Pro/E

PDM: Rev:AG

STATUS:Released

Printed: Feb 20, 2010

code code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X55 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5	5	5
	C	6	6	6	6	6	6	6	6
	B	7	7	7	7	7	7	7	7
	A	8	8	8	8	8	8	8	8
70233-X56 SEE NOTE 11 LEAD FREE OPTION	D	20	20	20	20	20	20	20	20
	C	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7
70233-X57 SEE NOTE 11 LEAD FREE OPTION	D	8	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8	8
	B	14	14	14	14	14	14	14	14
	A	14	14	14	14	14	14	14	14
70233-X58 SEE NOTE 11 LEAD FREE OPTION	D	20	20	20	20	20	20	20	20
	C	20	20	20	20	20	20	20	20
	B	20	20	20	20	20	20	20	20
	A	20	20	20	20	20	20	20	20
70233-X59 SEE NOTE 11 LEAD FREE OPTION	D	8	8	8	8	8	8	8	8
	C	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X60 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10
	B	12	12	12	12	12	12	12	12
	A	10	10	10	10	10	10	10	10
70233-X61 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10
	A	12	12	12	12	12	12	12	12
70233-X62 SEE NOTE 11 LEAD FREE OPTION	D	9	9	9	9	9	9	9	9
	C	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9
	A	10	10	10	10	10	10	10	10
70233-X63 SEE NOTE 11 LEAD FREE OPTION	D	15	15	15	15	15	15	15	15
	C	11	11	11	11	11	11	11	11
	B	11	11	11	11	11	11	11	11
	A	11	11	11	11	11	11	11	11
70233-X64 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	11	11	11	11	11	11	11	11
	B	12	12	12	12	12	12	12	12
	A	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X65 SEE NOTE 11 LEAD FREE OPTION	D	9	9	9	9	9	9	9	9
	C	10	10	10	10	10	10	10	10
	B	11	11	11	11	11	11	11	11
	A	12	12	12	12	12	12	12	12
70233-X66 SEE NOTE 11 LEAD FREE OPTION	D	21	21	21	21	21	21	21	21
	C	11	11	11	11	11	11	11	11
	B	11	11	11	11	11	11	11	11
	A	11	11	11	11	11	11	11	11
70233-X67 SEE NOTE 11 LEAD FREE OPTION	D	12	12	12	12	12	12	12	12
	C	12	12	12	12	12	12	12	12
	B	15	15	15	15	15	15	15	15
	A	15	15	15	15	15	15	15	15
70233-X68 SEE NOTE 11 LEAD FREE OPTION	D	21	21	21	21	21	21	21	21
	C	21	21	21	21	21	21	21	21
	B	21	21	21	21	21	21	21	21
	A	21	21	21	21	21	21	21	21
70233-X69 SEE NOTE 11 LEAD FREE OPTION	D	12	12	12	12	12	12	12	12
	C	11	11	11	11	11	11	11	11
	B	11	11	11	11	11	11	11	11
	A	11	11	11	11	11	11	11	11

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	title	www.fciconnect.com	
AG				angles	.xxx ±.051		METRAL SIGNAL HEADER		
				dr	T.BRUNGARD 11/19/99		2 MOD, 4 ROW PRESS-FIT		
				eng	M.STRAWER 11/19/99		product family		code
				chr	M.STRAWER 11/19/99		METRAL		213
				appd	M.STRAWER 02/29/00	scale	size	dwg no	sheet
						1:1	A	70233	6
sheet index	revision sheet								

REV E - 2004-04-18

Pro/E

PDM: Rev:AG

STATUS:Released

Printed: Feb 20, 2010

code code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
70233-X70 SEE NOTE 11 LEAD FREE OPTION	D	4	4	4	4	4	4	4	4	4	4	4	4
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2
70233-X71 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	3	3	3	3	3	3	3	3	3	3	3	3
70233-X72 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	4	4	4	4	4	4	4	4	4	4	4	4
	B	4	4	4	4	4	4	4	4	4	4	4	4
	A	19	19	19	19	19	19	19	19	19	19	19	19
70233-X73 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	3	3	3	3	3	3	3	3	3	3	3	3
70233-X74 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
70233-X75 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	3	3	3	3	3	3	3	3	3	3	3	3
70233-X76 SEE NOTE 11 LEAD FREE OPTION	D	19	19	19	19	19	19	19	19	19	19	19	19
	C	1	1	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	19	19	19	19	19	19	19	19	19	19	19	19
70233-X77 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	19	19	19	19	19	19	19	19	19	19	19	19
	A	3	3	3	3	3	3	3	3	3	3	3	3
70233-X78 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1	1	1
	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1	1	1
70233-X79 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
70233-X80 SEE NOTE 11 LEAD FREE OPTION	D	8	8	8	8	8	8	8	8	8	8	8	8
	C	6	6	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6	6	6	6	6
70233-X81 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	5	5	5	5	5	5	5	5	5	5	5	5
	A	7	7	7	7	7	7	7	7	7	7	7	7
70233-X82 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	6	6	6
	C	8	8	8	8	8	8	8	8	8	8	8	8
	B	8	8	8	8	8	8	8	8	8	8	8	8
	A	20	20	20	20	20	20	20	20	20	20	20	20
70233-X83 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	6	6	6
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	7	7	7	7	7	7	7	7	7	7	7	7
70233-X84 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	6	6	6
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7	7	7	7	7

mat'l code		--		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0. XX ±0.13	projection	title	METRAL SIGNAL HEADER			
AG				angles	.XXX ±.051		2 MOD, 4 ROW PRESS-FIT				
				dr	T. BRUNGARD 11/19/99	MM	product family	METRAL			
				eng	M. STRAWSER 11/19/99	scale	size	dwg no			
				ctr	M. STRAWSER 11/19/99	1:1	70233		213		
				appd	M. STRAWSER 02/29/00		A		sheet 7		
sheet index	revision	sheet									

REV E - 2006-04-18

Pro/E

PDM: Rev:AG

STATUS:Released

Printed: Feb 20, 2010

code code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X85 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6
	A	7	7	7	7	7	7	7	7
70233-X86 SEE NOTE 11 LEAD FREE OPTION	D	20	20	20	20	20	20	20	20
	C	5	5	5	5	5	5	5	5
	B	5	5	5	5	5	5	5	5
	A	20	20	20	20	20	20	20	20
70233-X87 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6
	C	7	7	7	7	7	7	7	7
	B	20	20	20	20	20	20	20	20
	A	7	7	7	7	7	7	7	7
70233-X88 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5	5	5
	C	5	5	5	5	5	5	5	5
	B	7	7	7	7	7	7	7	7
	A	5	5	5	5	5	5	5	5
70233-X89 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7
	C	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X90 SEE NOTE 11 LEAD FREE OPTION	D	12	12	12	12	12	12	12	12
	C	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10
	A	10	10	10	10	10	10	10	10
70233-X91 SEE NOTE 11 LEAD FREE OPTION	D	11	11	11	11	11	11	11	11
	C	11	11	11	11	11	11	11	11
	B	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11
70233-X92 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	12	12	12	12	12	12	12	12
	B	12	12	12	12	12	12	12	12
	A	21	21	21	21	21	21	21	21
70233-X93 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	11	11	11	11	11	11	11	11
	B	10	10	10	10	10	10	10	10
	A	11	11	11	11	11	11	11	11
70233-X94 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	11	11	11	11	11	11	11	11
	B	11	11	11	11	11	11	11	11
	A	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
70233-X95 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10
	A	11	11	11	11	11	11	11	11
70233-X96 SEE NOTE 11 LEAD FREE OPTION	D	21	21	21	21	21	21	21	21
	C	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9
	A	21	21	21	21	21	21	21	21
70233-X97 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10	10	10
	C	11	11	11	11	11	11	11	11
	B	21	21	21	21	21	21	21	21
	A	11	11	11	11	11	11	11	11
70233-X98 SEE NOTE 11 LEAD FREE OPTION	D	9	9	9	9	9	9	9	9
	C	9	9	9	9	9	9	9	9
	B	11	11	11	11	11	11	11	11
	A	9	9	9	9	9	9	9	9
70233-X99 SEE NOTE 11 LEAD FREE OPTION	D	11	11	11	11	11	11	11	11
	C	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10
	A	10	10	10	10	10	10	10	10

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	COPY	www.fciconnect.com	
AG					0.XX ±0.13		title	METRAL SIGNAL HEADER	
				angles	.XXX ±.051		2 MOD, 4 ROW PRESS-FIT		
				dr	T. BRUNGARD 11/19/99	MM	product family	METRAL	
				eng	M. STRAWSER 11/19/99	scale	size	dwg no	code
				chr	M. STRAWSER 11/19/99	1:1	A	70233	213
				appd	M. STRAWSER 02/29/00				sheet
sheet index	revision sheet								8

REV E - 2006-04-18

Pro/E

PDM: Rev:AG

STATUS:Released

Printed: Feb 20, 2010

code code 22526

1 | 2

3 |

4

PRODUCT NUMBER
70233-XYX
70233-XYXLF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
55422 -XYX IS SnPb
55422-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-AYX	TELCORDIA CO	SEE NOTE 9
-N1YX	TELCORDIA CO (NXT)	-
-N5YX	TELCORDIA UE (NXT)	-
-1YX	TELCORDIA CO	-
-2YX	TELECOM CLASS	-
-3YX	IEC CLASS 1	-
-5YX	TELCORDIA UE	-
-AYXLF	TELCORDIA CO	SEE NOTE 10
-N1YXLF	TELCORDIA CO (NXT) IEC CLASS 1	SEE NOTE 10
-N5YXLF	TELCORDIA UE (NXT)	SEE NOTE 10
-1YXLF	TELCORDIA CO IEC CLASS 1	SEE NOTE 10
-2YXLF	TELECOM CLASS	SEE NOTE 10
-5YXLF	TELCORDIA UE	SEE NOTE 10

- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPFP
- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- A PLATING HAS Au FLASH IN PRESS FIT AREA (LEAD FREE).
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-N1--- OR (DRAWING NO.)-N5--- WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1--- AND (DRAWINGS NO.)-N5--- WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

- FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
EXAMPLE: 70233-X01LF

mat'l code		tolerances unless otherwise specified		CUSTOMER		FCJ		www.fcjconnect.com	
ltr	ecm no.	dr	date	linear	projection	COPY		title	
AG				0.X ±0.3	MM	METRAL		METRAL SIGNAL HEADER	
				0.XX ±0.13	MM	product family		2 MOD, 4 ROW PRESS-FIT	
				.XXX ±.051	MM	size		METRAL	
				angles	MM	dwg no		code	
				dr T.BRUNGARD 11/19/99	MM	70233		213	
				engr M.STRAWNER 11/19/99	MM	A		sheet	
				chr M.STRAWNER 11/19/99	MM	1:1		9	
				appd M.STRAWNER 02/29/00	MM	A		g	
sheet index	revision sheet								



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

REV E - 2006-04-18

1 | 2

3 |

4

Pro/E

PDM: Rev:AG STATUS:Released Printed: Feb 20, 2010

code code 22526