


5145263-2 Product Details

Have a Question?
 Chat with a Product Information Specialist

5145263-2

TE Internal Number: 5145263-2

Active

View 3D PDF

AGP, NLX, Slot 1 Connectors (Standard Edge 1mm)

Always EU RoHS/ELV Compliant ([Statement of Compliance](#))

Product Highlights:

- Connector
- 124 Positions
- Bus Type = AGP (Accelerated Graphic Port)
- Connector Design = Solder Tail
- Termination Post Length = 2.70 mm

[View all Features](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

Add to My Part List Request Sample Find Similar Products Buy Product

Documentation & Additional Information

Product Drawings:

- [ASSEMBLY, 124 POSITION 1mm, CARD EDGE CONNECTOR](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files: ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version A)
- [3D Model](#) (IGES, Version A)
- [3D Model](#) (STEP, Version A)

[List all Documents](#)

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector
- [Bus Type](#) = AGP (Accelerated Graphic Port)
- [Connector Design](#) = Solder Tail
- PCB Mount Angle = Vertical

Termination Related Features:

- [Termination Post Length \(mm \[in\]\)](#) = 2.70 [0.106]
- Solder Tail Contact Plating = Tin-Lead over Nickel

Body Related Features:

- [Number of Positions](#) = 124
- [Centerline \(mm \[in\]\)](#) = 1.00 [0.039]

Contact Related Features:

- [Contact Plating, Mating Area, Material](#) = Gold (15)
- Contact Base Material = Brass

Housing Related Features:

- [Housing Material](#) = Nylon 66/6
- [Housing Color](#) = Brown

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- [RoHS/ELV Compliance History](#) = Always was RoHS compliant

Other:

- Brand = AMP



Corporate Information

- [Who We Are](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)

Quick Links

- [Check Distributor Inventory](#)
- [Cross Reference](#)
- [Find Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat with Us](#)
- [Find a Phone Number](#)
- [Search Knowledge Base](#)
- [Manage Your Account](#)

Sign up for our eNewsletter

Enter your email address

Follow Us On:



Visit Us On:

