tyco		Search By:	Part Number	গি Text	Tips
Electronics			olete or partial part nun		Go
Products Documentation	Resources My Account Customer	Support About Us			
ome > Products > By Type > Se	aled Automotive > Product Feature Selector	> Product Details			
-826886 -7 Product	Details				
020000 11100000		ariaa E. Elland			
8	Econoseal Connectors, S	enes E, En anu		-Quick Linl	
AX S				Check Pric Availability	
20 0 0 0 0	RoHS Compliant (Statement of	or Compliance)		Search for	
60	Product Highlights:			Product Fe	ature
1-826886 -7	? Housing			Selector Contact Us	s About
	2 Socket			This Produ	
	<ul> <li>Number of Positions = 3</li> <li>Product Series = E</li> </ul>				
	<ul> <li>With Mating Connector Loc</li> </ul>	k			
	View all Features				
Documentation & Addition	onal Information				
Product Drawings:			Additional In	formation:	
? None Available				t Line Information	on
2 None Available	ets:		Related Proc		
7 NULLE AVAILABLE				L	
Product Specifications:					
Product Specifications: ? None Available					
Product Specifications: ? None Available					
<ul> <li>None Available</li> <li>Application Specification</li> </ul>	15:				
<ul> <li>None Available</li> </ul>	15:				
<ul> <li>None Available</li> <li>Application Specification</li> <li>None Available</li> </ul>	าร:				
<ul> <li>None Available</li> <li>Application Specification</li> <li>None Available</li> </ul>	ns:				
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> </ul>	15:				
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:</li> </ul>	ns:				
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> </ul>	ns:				
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> </ul>					
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>Product Features (Please)</li> </ul>	1S: we use the Product Drawing for all design activity)		Easturas:		
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>Product Features (Please)</li> <li>Product Type Features:</li> </ul>	e use the Product Drawing for all design activity)	Housing Related	Features: or = Yellow		
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>Product Features (Please)</li> </ul>	e use the Product Drawing for all design activity)	Housing Related <sup>7</sup> Housing Co <sup>7</sup> Housing Ma	or = Yellow	GF 13	
<ul> <li>None Available</li> <li>Application Specification</li> <li>None Available</li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>Product Features         <ul> <li>Product Type Features:             <ul> <li>Product Type = Hou</li> </ul> </li> </ul> </li> </ul>	e use the Product Drawing for all design activity)	? Housing Co	or = Yellow	9 GF 13	
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>Product Features             <ul> <li>Product Type Features:</li> <li>Product Type = Hout</li> <li>Gender = Socket</li> <li>Number of Positions</li> <li>Product Series = E</li> </ul> </li> </ul>	we use the Product Drawing for all design activity) alsing $s = 3$	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> </ul>	or = Yellow terial = PA 6.6 <b>ds:</b>		
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>Product Features             <ul> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Gender = Socket</li> <li>Number of Positions</li> <li>Product Series = E</li> <li>Mating Connector Log</li> </ul> </li> </ul>	the use the Product Drawing for all design activity) resing s = 3 rock = With	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standar</li> <li>RoHS/ELV (</li> </ul>	or = Yellow terial = PA 6.6 <b>ds:</b>	GF 13 = RoHS complia	ant, ELV
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>Product Features             <ul> <li>Product Type Features:                  <ul> <li>Product Type Features:                     <ul> <li>Gender = Socket</li> <li>Number of Positions</li> <li>Product Series = E</li> <li>Mating Connector Let</li> <li>Mating Connector Let</li> <li>Mating Connector Let</li> </ul> </li> </ul></li></ul></li></ul>	e use the Product Drawing for all design activity) using s = 3 ock = With ock Type = Locking	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standarr</li> <li><u>RoHS/ELV</u></li> <li>compliant</li> </ul>	or = Yellow terial = PA 6.6 ds: Compliance		
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>Product Features             <ul> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Series = E</li> <li>Mating Connector Lui             <ul> <li>Comment = C12 Co</li> </ul> </li> </ul></li></ul>	the use the Product Drawing for all design activity) resing s = 3 rock = With	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> </ul>	or = Yellow terial = PA 6.6 ds: <u>Compliance</u> <u>colder Process</u> ocess	= RoHS complia es = Not rele	evant for
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>Product Features         <ul> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Series = E</li> <li>Mating Connector Lu             <ul> <li>Comment = C12 Co Econoseal Series E Hellerine Part Numb</li> </ul> </li> </ul></li></ul>	the use the Product Drawing for all design activity) alsing s = 3 ock = With ock Type = Locking ntacts are used with AMP and EH Housings.; Use ber 826750 - 1, a silicon - free	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> <li>RoHS/ELV (</li> </ul>	or = Yellow terial = PA 6.6 ds: Compliance Solder Process Docess Compliance Hi	= RoHS complia	evant for
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>Product Features         <ul> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Series = E</li> <li>Mating Connector Lui             <ul> <li>Comment = C12 Co Econoseal Series E</li> </ul> </li> </ul></li></ul>	the use the Product Drawing for all design activity) alsing s = 3 ock = With ock Type = Locking ntacts are used with AMP and EH Housings.; Use ber 826750 - 1, a silicon - free	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> </ul>	or = Yellow terial = PA 6.6 ds: Compliance Solder Process Docess Compliance Hi	= RoHS complia es = Not rele	evant for
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>Product Features             <ul> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Series = E</li> <li>Mating Connector Lute</li> <li>Comment = C12 Coneconseal Series E             <ul> <li>Hellerine Part Numb             <li>Lubricant for contact</li> </li></ul> </li> </ul></li></ul>	the use the Product Drawing for all design activity) alsing s = 3 ock = With ock Type = Locking ntacts are used with AMP and EH Housings.; Use ber 826750 - 1, a silicon - free	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> <li>RoHS/ELV (</li> </ul>	or = Yellow terial = PA 6.6 <b>ds:</b> <u>Compliance</u> <u>solder Process</u> Docess Compliance Hi liant	= RoHS complia es = Not rele	evant for
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>Product Features         <ul> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Series = E</li> <li>Mating Connector Lu             <ul> <li>Comment = C12 Co Econoseal Series E Hellerine Part Numb</li> </ul> </li> </ul></li></ul>	the use the Product Drawing for all design activity) asing s = 3 ock = With ock Type = Locking ntacts are used with AMP and EH Housings.; Use ver 826750 -1, a silicon -free insertion	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> <li>RoHS/ELV ( RoHS comp</li> </ul>	or = Yellow terial = PA 6.6 ds: Compliance colder Process Docess Compliance Hi liant d Features:	= RoHS complia es = Not rele story = Always	evant for
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:             <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:             <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:                     <ul> <li>None Available</li> </ul> </li> </ul> <li>CAD Files:                     <ul> <li>None Available</li> </ul> </li> <li>Product Features:                     <ul> <li>None Available</li> </ul> </li> <li>Product Type Features:                     <ul> <li>Product Type Features:                           <ul></ul></li></ul></li>	the use the Product Drawing for all design activity) asing s = 3 ock = With ock Type = Locking ntacts are used with AMP and EH Housings.; Use ver 826750 -1, a silicon -free insertion	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> <li>RoHS/ELV ( RoHS comp</li> <li>Packaging Relate</li> <li>Packaging C</li> </ul>	or = Yellow terial = PA 6.6 ds: Compliance colder Process Docess Compliance Hi liant d Features:	= RoHS complia es = Not rele story = Always	evant for
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>Product Features         <ul> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Series = E</li> <li>Mating Connector Lu</li> <li>Comment = C12 Co Econoseal Series E Hellerine Part Numb lubricant for contact</li> </ul> </li> <li>Mechanical Attachment:         <ul> <li>Panel Attachment =</li> </ul> </li> <li>Body Related Features:</li> </ul>	e use the Product Drawing for all design activity) using s = 3 ock = With ock Type = Locking ntacts are used with AMP and EH Housings.; Use per 826750 -1, a silicon -free insertion Without	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> <li>RoHS/ELV ( RoHS comp</li> <li>Packaging Relate</li> <li>Packaging C</li> </ul>	or = Yellow terial = PA 6.6 ds: Compliance Solder Process Docess Compliance Hi liant ed Features: Quantity = 1,50	= RoHS complia es = Not rele story = Always	evant for
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>CAD Files:             <ul> <li>None Available</li> </ul> </li> <li>Product Features:             <ul> <li>Product Type Features:             <ul> <li>Product Type Features:             <ul> <li>Product Type Features:</li> <li>Product Series = E</li> <li>Mating Connector Lue</li> <li>Comment = C12 Co</li> <li>Econoseal Series E</li> <li>Hellerine Part Numb lubricant for contact</li> </ul> </li> <li>Mechanical Attachment:         <ul> <li>Panel Attachment =</li> </ul> </li> <ul> <li>Collar Shape = Con</li> </ul> </ul></li> </ul></li></ul>	e use the Product Drawing for all design activity) using s = 3 ock = With ock Type = Locking ntacts are used with AMP and EH Housings.; Use over 826750 -1, a silicon -free insertion Without	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> <li>RoHS/ELV ( RoHS comp</li> <li>Packaging Relate</li> <li>Packaging C</li> </ul>	or = Yellow terial = PA 6.6 ds: Compliance ocess Compliance Hi liant ed Features: Quantity = 1,50 onnector Syste	= RoHS complia es = Not rele story = Always	evant for
<ul> <li>None Available</li> <li>Application Specification         <ul> <li>None Available</li> </ul> </li> <li>Instruction Sheets:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>CAD Files:         <ul> <li>None Available</li> </ul> </li> <li>Product Features         <ul> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Type Features:</li> <li>Product Series = E</li> <li>Mating Connector Lu</li> <li>Comment = C12 Co Econoseal Series E Hellerine Part Numb lubricant for contact</li> </ul> </li> <li>Mechanical Attachment:         <ul> <li>Panel Attachment =</li> </ul> </li> <li>Body Related Features:</li> </ul>	e use the Product Drawing for all design activity) using s = 3 oock = With oock Type = Locking ntacts are used with AMP and EH Housings.; Use oper 826750 -1, a silicon -free insertion Without e nm [in]) = 1.30 [0.051]	<ul> <li>Housing Co</li> <li>Housing Ma</li> <li>Industry Standard</li> <li>RoHS/ELV ( compliant</li> <li>Lead Free S lead free pro</li> <li>RoHS/ELV ( RoHS comp</li> <li>Packaging Relate</li> <li>Packaging C</li> <li>Other:</li> <li>GET 0.64 C</li> </ul>	or = Yellow terial = PA 6.6 ds: Compliance ocess Compliance Hi liant ed Features: Quantity = 1,50 onnector Syste	= RoHS complia es = Not rele story = Always	evant for

 Languages
 : English
 Deutsch
 Español
 Português (do Brasil)
 ??????
 Italiano
 ????
 ???
 ????
 ????
 ????
 ????
 ????
 ????
 ????
 ????
 ????
 ????
 ????
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ???
 ????
 ????
 ????
 ????
 ????
 ????
 ????
 ????
 ???
 ????
 ????
 ????
 ????
 ????
 ????
 <th????</th>
 ?????
 ???

Home | Customer Support | Supplier | Site Map | Privacy Policy | Browser Support © 2007 Tyco Electronics Corporation All Rights Reserved