CAT. NO. & DIMENSIONS

NOTE3	NO. OF	CAT. NO.	DIME	NSIONS (N	OTE2)
MOLES	CONTACTS (n)	OAT. NO.	A ±0.2	B±0.2	C±0.2
	4	SFW4S-2ST	10.4	5.24	3
	5	SFW5S-2ST	11.4	6.24	4
	6	SFW6S-2ST	12.4	7.24	5
*	7	SFW7S-2ST	13.4	8.24	6
	8	SFW8S-2ST	14.4	9.24	7
*	9	SFW9S-2ST	15.4	10.24	8
	10	SFW10S-2ST	16.4	11.24	9
	11	SFW11S-2ST	17.4	12.24	10
*	12	SFW12S-2ST	18.4	13.24	11
	13	SFW13S-2ST	19.4	14.24	12
	14	SFW14S-2ST	20.4	15.24	13
	15	SFW15S-2ST	21.4	16.24	14
	16	SFW16S-2ST	22.4	17.24	15
	17	SFW17S-2ST	23.4	18.24	16
*	18	SFW18S-2ST	24.4	19.24	17
*	19	SFW19S-2ST	25.4	20.24	18
	20	SFW20S-2ST	26.4	21.24	19
*	21	SFW21S-2ST	27.4	22.24	20
***************************************	22	SFW22S-2ST	28.4	23.24	21
	23	SFW23S-2ST	29.4	24.24	22
~~~	24	SFW24S-2ST	30.4	25.24	23
*	25	SFW25S-2ST	31.4	26.24	24
	26	SFW26S-2ST	32.4	27.24	25
*	27	SFW27S-2ST	33.4	28.24	26
	28	SFW28S-2ST	34.4	29.24	27
	29	SFW29S-2ST	35.4	30.24	28
	30	SFW30S-2ST	36.4	31.24	29
*	31	SFW31S-2ST	37.4	32.24	30
*	32	SFW32S-2ST	38.4	33.24	31

CAT. NO. $\frac{\text{SFW}}{  }$ $\frac{\text{(n)}}{  }$ $\frac{\text{S}}{  }$ $\frac{\text{2}}{  }$ $\frac{\text{ST}}{  }$
SERIES —
NO. OF CONTACTS
STRAIGHT TYPE
FOR FPC / FFC
VARIATION  STM: FOR AUTOMATIC MOUNTING (SMT)  WITH MOUNTING PLATE  ST: FOR AUTOMATIC MOUNTING (SMT)  WITHOUT MOUNTING PLATE
PACKAGE STYLE

# NOTES

- 1. THIS PRODUCT IS THE CONNECTOR, DESIGNED TO TREMINATE FPC/FFC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. SEE PART DRAWINGS FOR DIMENSIONS A.B.C.
- 3. PLEASE CONSULT US IN CASE OF USING PARTS WITH * MARK

ma [·]	t'l. c	ode				surfo			tole IS0 IS0	erand 0 406 0 110	e 11	proj		ion 1	prod	duc	t fa	mily		585	SF		ODE JP
Itr	ecn	no c	dr	dat	е	tolerances unless otherwise specified			🕈		コ	title		CAT	. NO	Т.							
AA	J04-033	33 F	I.T	2004-	-10-13							1	nm		1 ,	na na					POR SNNE	·CTO	D
AB	J05-054	7	Н.Т	2005-	-8-30	angle	s li	inear							1								К
AC	J06-043	0430 H.T 2006-10-19 sca		е	$\propto$		(CAT.No.SFWS-2ST)																
AD	J07-040	17	H.T	2007-	-8-9	dr	1	- tehak	topahate 2007-8-9					_	dwg	nc	)		S	hee	t 1 c	of 1	size
						engr		2516	will	2007	29	F	C	. Î				ıc	٠, ٥	334	2		١, .
						chr	R.	Shor	y) (	2007	-878			"				UC	DA S	1004	-2		A4
						appd	1.1	Vuola	er S	2007	-8-16		4		type	F	rodu	uct (	Custo	mer	Draw	ving	
she	et r	evis	ion	AD																			Rev
inde	ex G	shee	t T	1																			AD

В


Α


<u>C</u>

2

Copyright FCI.

D





Α

В

С

#### CAT. NO. & DIMENSIONS

(NOTEA)	NO. OF	CAT. NO.	DIMENSIONS (NOTE3)							
(NOIE4)	CONTACTS (n)	(NOTE2)	D ± 5	E ± 0.3	F ± 0.1					
	4	SFW4S-2ST_E1	28.4	24						
	5	SFW5S-2ST_E1	28.4	24						
	6	SFW6S-2ST_E1	28.4	24						
*	7	SFW7S-2ST_E1	28.4	24						
	8	SFW8S-2ST_E1	28.4	24						
*	9	SFW9S-2ST_E1	28.4	24						
	10	SFW10S-2ST_E1	28.4	24	-					
	11	SFW11S-2ST_E1	28.4	24						
*	12	SFW12S-2ST_E1	36.4	32	28.4					
	13	SFW13S-2ST_E1	36.4	32	28.4					
	14	SFW14S-2ST_E1	36.4	32	28.4					
	15	SFW15S-2ST_E1	36.4	32	28.4					
	16	SFW16S-2ST_E1	48.4	44	40.4					
	17	SFW17S-2ST_E1	48.4	44	40.4					
*	18	SFW18S-2ST_E1	48.4	44	40.4					
*	19	SFW19S-2ST_E1	48.4	44	40.4					
	20	SFW20S-2ST_E1	48.4	44	40.4					
*	21	SFW21S-2ST_E1	48.4	44	40.4					
	22	SFW22S-2ST_E1	48.4	44	40.4					
	23	SFW23S-2ST_E1	48.4	44	40.4					
	24	SFW24S-2ST_E1	48.4	44	40.4					
*	25	SFW25S-2ST_E1	48.4	44	40.4					
	26	SFW26S-2ST_E1	48.4	44	40.4					
*	27	SFW27S-2ST_E1	60.4	56	52.4					
	28	SFW28S-2ST_E1	60.4	56	52.4					
	29	SFW29S-2ST_E1	60.4	56	52.4					
	30	SFW30S-2ST_E1	60.4	56	52.4					
*	31	SFW31S-2ST_E1	60.4	56	52.4					
*	32	SFW32S-2ST_E1	60.4	56	52.4					

SERIES

NO. OF CONTACTS

STRAIGHT TYPE

FOR FPC / FFC

VARIATION

STM:FOR AUTOMATIC MOUNTING (SMT)

WITH MOUNTING PLATE

ST:FOR AUTOMATIC MOUNTING (SMT)

WITHOUT MOUNTING PLATE

PACKAGE STYLE

### NOTES

- THIS PRODUCT IS THE CONNECTOR DESIGNED TO TERMINATE FPC/FFC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. THIS CATALOG NO. INDICATES PLASTIC TAPE PACKAGED CONNECTOR.
- 3. SEE PART DRAWINGS FOR DIMENSIONS D~F.
- 4. PLEASE CONSULT US IN CASE OF USING PARTS WITH * MARK.

mat'l. code					surfo	/ tole	ISO 406 ISO 1101			ction	produ	uct f	amil	У	585	58SF						
ltr	ecn	no	dr	dat	:e	tolera	nces ur othe				Ψ		title					***************************************	-1			
AA	J04-0	333	H.T	2004	-10-13	angles			•		m	ım	1 1					LASTIC	—			
AB	J05-0	547	H.T	2005	-8-30	ungies	] linea	r					] P.						CONN.			
AC	J06-0	430	H.T	2006	-10-19						scale	· X		(C	AI.No	.SFW_	S-2	ST_E1)				
AD	J07-0	407	H.T	2007	-8-9	dr	14 Tatrok	Tu	2017	2-9			dwg	no			shee	t 1 of	1 size			
									engr chr	<del>11-26.</del> R 2h	forthe	2007-		F	Cj			JS	SA 9	3343	3	A ₄
						appd	S. Olude			1-16	۱ '		type	Pro	duct	Cust	omer	Drawi	ng			
she	et	revi	sion	AD															Rev			
inde	ex	she	et	1															AD			
JSA93	342	9333	8																			


D

2



Α

В



PT. NO.	PARTS NAME	CAT. NO.	MATERIAL	Q'TY	NOTE
1	REEL		CARDBOARD	1	COLOR:GRAY
2	PLASTIC (EMBOSSED) TAPE		PET		COLOR:TRANSPARENCY
3	COVER		POLYESTER		COLOR:TRANSPARENCY
4	CONNECTOR	SFWS-2ST	SEE ATTACHED DWG.	1000	

#### NOTES

- THIS IS PLASTIC TAPE PACKAGED CONNECTOR USED FOR FPC/FFC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. SEE JIS C 0806 (PACKING OF ELECTRONIC COMPONENTS ON CONTINUOUS TAPES (SURFACE MOUNTING DEVICES)) FOR SHAPE AND DIMENSIONS OF PLASTIC (EMBOSSED) TAPE AND REEL.
- 3. F DIMENSION IS PORTION OF THE CORE.

1

()

Α

 $\bigcirc$ 

В

Copyright FCI.

ļ						,																	
ma	t'l. co	de				surface 58			tolerance   ISO 406   ISO 1101			pro	jecti	ion _	pro	duct	far	nily		58S	F	- 1	ODE JP
Itr	ecn r	10	dr	dat	е	tolera		•				4	<del>)</del> (	7	title	· .	) AC	TIO :			21/40		
AA	J04-0333		H.T	Oct.1.	3, 04	anala			±5				mm			1	LAS	HC	TAPE IG S	PAL	KAG	LU LECT	<b>7</b> D
AB	JD6-0430		H.T	10/1	7'06	angle	ill	near				1		-									JK
						±5'			/			sca	le	$\alpha$	]	(t	JAIA.	No.S	FW	5-2	SI_E	1)	
						dr	aff.	Talent	with	14/9	186			<b>R</b>	dwg	no			s	heet	t 1 c	of 1	size
				******		engr	, Att,	<u>napri</u>	ENTER.	10/19	1/06	F	C				1	ISA	93.	338			$ A_4 $
						chr	<u>K</u>	Sh	oun	16/19	106		2	]]									M4
						appd	2.0	tuda	earl	10/20	166		The second		type	P	rodu	ct C	usto	mer	Drav	ving	
she	et r	evis	sion	AB			-φ																Rev.
inde	ex s	hee	et	1																			AB
JSA93 form:		3343	3							1													2

Downloaded from **Elcodis.com** electronic components distributor

D


C



Α

В

С



FCIconnect.co

Copyright FCI.

 $\bigcirc$ 

D

()

()

Α

PT. NO.	DESCRIPTION	MATERIAL	THICKNESS (µm)
1	BASE FILM	POLYIMIDE OR POLYESTER OR EQUIVALENT	25
2	CONDUCTOR	COPPER FOIL(PLATING : SOLDER 1 µm MIN.)	35
3	OVERLAY	POLYIMIDE OR POLYESTER OR EQUIVALENT	
4	SUPPORTING TAPE	POLYESTER OR POLYIMIDE OR EQUIVALENT	188

NOTES

- 1. NO BURR AT EACH PORTION.
- 2. NO PEELING IN COMMON USE.
- 3. TOTAL THICKNESS LIMIT OF EACH MATERIAL (INCLUDING ADHESIVE AGENT) IS SPECIFIED.

surface 58 mat'l. code projection product family CODE 58SF ISO 1302 V JP tolerances unless otherwise specifie ecn no dr date title JD4-0333 Oct.13,'04 RECOMMENDED CABLE mm AB JD6-0430 10/19/'06 linear (CAT.No.SFW___S-2ST____) scale dwg no sheet 1 of 1 size engr JSA 93340 Α4 chr Shout 10/19/06 appd type Product Customer Drawing AB Rev. AB sheet revision index sheet


form: A4

2



RECOMMENDED CABLE (FFC)

n: NO. OF CONDUCTORS




FCIconnect.com

()

<u>A</u>







()

D

PT. NO.	DESCRIPTION	MATERIAL	NOTE
1	INSULATOR	FLAME RESISTING POLYESTER OR EQUIVALENT	
2	CONDUCTOR	COPPER FOIL	PLATING: TIN OR SOLDER 1 µm MIN.
3	SUPPORTING TAPE	FLAME RESISTING POLYESTER OR EQUIVALENT	

NOTES

- 1. NO BURR AT EACH PORTION.
- 2. NO PEELING IN COMMON USE.

ma	'I. code surface ₅₈ tolerance ISO 406 ISO 1302 ISO 1101						406	1	ectio	n 1	prod	duct	far	585	58SF C				
Itr	ecn no	dr	date				specified	1	) <	†	title	;	-			······	manumus		
AA	J04-0333	H.T	Oct.13,'D4	analan					mm				REC	OMM	IEND	ED C	ABLE		
AB	J06-0430	H.T	10/19/'06	angles	linear					-							ST		
					,			scal	e 2	X			(0//1			_0 _2,	٠,	-/	
				dr	HARRA	Enter 1	10/19/68				dwg	no			5	heet	: 1 of	1 :	size
				engr	<u>Arabi</u> i	tille 1	0/19/66							.IS A	93	341		İ	Α4
l				chr /	R Sho	we !	10/19/6b							057		J+1			H4
				appd	P. Olivet ai	22	10/20/66				type	<b>P</b>	rodu	ct C	usto	mer	Drawi	ng	
she	et rev	sion	AB																Rev.
inde	ex she	et	1																AB

form: A4

В

<u>C</u>