
| | |

## 5-111036-8 Product Details



# 5-111036-8

TE Part Number: 5-111036-8 

■ Add to Part List

# Ribbon Cable Connectors (AMP-LATCH)

Always EU RoHS/ELV Compliant (Statement of Compliance)

# Product Highlights:

- Connector Type = Paddleboard
  Number of Positions = 40
- Without Mating Polarization
- Terminate To Printed Circuit Board
- Without Mounting Ears

View all Features | Find Similar <u>Products</u>

# Live Product Chat

# Quick Links

- Check Pricing & <u>Availability</u>
- Search for Tooling
- <u>Product Feature</u> <u>Selector</u>
- Contact Us About This Product

#### Documentation & Additional Information

#### Product Drawings:

 KIT, AMP-LATCH PADDLEBOARD PREASSEMBLED, .156 LONG ... (PDF, English)

## Catalog Pages/Data Sheets:

None Available

## **Product Specifications:**

None Available

## **Application Specifications:**

None Available

#### Instruction Sheets:

None Available

#### CAD Files:

• None Available

### Additional Information:

• Product Line Information

### Related Products:

• Tooling

# List all Documents

# Product Features (Please use the Product Drawing for all design activity)

# Product Type Features:

- Connector Type = Paddleboard
- Number of Positions = 40
- <u>Mating Polarization</u> = Without
- Mounting Ears = Without
- PCB Retention Feature = No
- Mating Connector Lock = Without
- Strain Relief = Without
- With Cover Preassembled = Yes
- PCB Thickness (mm [in]) = 2.39 3.20 [0.094]-0.126

## Termination Related Features:

• Solder Tail Contact Plating = Tin

## Contact Related Features:

- Contact Mating Area Plating Material = Tin
- Contact Material = Phosphor Bronze

# Housing Related Features:

- Housing Color = Black
- Housing Material = Thermoplastic Polyester
- Housing Flammability Rating = UL 94V-0

## Configuration Related Features:

• Čable Stop = Without

# Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260° C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

### Conditions for Usage:

• Terminate To = Printed Circuit Board

Brand = AMP

# Provide Website Feedback | Need Help?