

## 9-99102 -3 Product Details

No Image Available

**9-99102 -3**

 [Active](#)

### Wavelength Division Multiplexers

[Not ELV or RoHS Compliant](#) (Find RoHS Compliant Alternates)

#### Product Highlights:

- ? Multimode
- ? Lensed
- ? Fiber Size = 62.5/125 Micron
- ? Cable Diameter = 900 micron mm
- ? Connector Type = ST Style (2.5mm Bayonet)

[View all Features](#)

### Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

### Documentation & Additional Information

#### Product Drawings:

- ? [WDM, MUX OR DEMUX 850/1310nm](#) (PDF, English)

#### Catalog Pages/Data Sheets:

- ? None Available

#### Product Specifications:

- ? None Available

#### Application Specifications:

- ? None Available

#### Instruction Sheets:

- ? None Available

#### CAD Files:

- ? None Available

#### Additional Information:

- ? [Product Line Information](#)

#### Related Products:

- ? [Tooling](#)

[List all Documents](#)

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- ? [Connector Type](#) = ST Style (2.5mm Bayonet)
- ? Number of Ports = 3
- ? Comment = Ports are marked with tags indicating port 1, 2, or 3

#### Termination Related Features:

- ? [Mode](#) = Multimode
- ? [Fiber Size \(Micron\)](#) = 62.5/125
- ? [Wavelength Bandpass \(nm\)](#) = 850 - 1310

#### Body Related Features:

- ? [Cable Diameter \(mm \[in\]\)](#) = 900 micron [900 micron]
- ? Cable Length (M [ft]) = 0.50 [1.640]
- ? Crosstalk Performance = MUX or DEMUX

#### Housing Related Features:

- ? [Port No. 1 Connector](#) = ST
- ? [Port No. 2 Connector](#) = ST
- ? [Port No. 3 Connector](#) = ST

#### Configuration Related Features:

- ? [Fused/Lensed](#) = Lensed

#### Industry Standards:

- ? [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- ? [Lead Free Solder Processes](#) = Not relevant for lead free process

#### Other:

- ? Brand = AMP