

This document was generated on 01/14/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: Status:	<u>0714393164</u> Active		C. Bar
Overview: PMC Description: 1.00mm (.039") Pitch Mezzanine IEEE 1386 Receptacle, Surface Vertical Stacking, Tube, 0.76µm (30µ") Gold (Au), 64 Circuits			
Documents: 3D Model Drawing (PDF)		Product Specification PS-71436-9999 (PDF) RoHS Certificate of Compliance (PDF)	Series
Agency Certification			image - Reference only
CSA UL General Product Family Series Application		LR19980 E29179 PCB Receptacles <u>71439</u> Board-to-Board, Signal	EU ROHS ELV and ROHS Compliant REACH SVHC Contains SVHC: No Low-Halogen Status
Comments		Plugs	Low-Halogen
Overview Product Name		<u>PMC</u> Mezzanine	Need more information on product environmental compliance?
Physical Circuits (Loaded) Color - Resin Flammability Glow-Wire Complian Lock to Mating Part Mated Height Material - Metal Material - Plating Ma Material - Plating Ma Material - Plating Ten Material - Resin Number of Rows Orientation PCB Locator PCB Retention PCB Thickness - Ree Packaging Type Pitch - Mating Interfa Plating min - Mating	ting rmination commended ace	64 Natural 94V-0 No Yes 14.00mm (.551"), 15.00mm (.591") Phosphor Bronze Gold Tin High Temperature Thermoplastic 2 Vertical Yes None 1.60mm (.063") Tube 1.00mm (.039") 0.762µm (30µ")	Email <u>productcompliance@molex.com</u> For a multiple part number RoHS Certificate of Compliance, <u>click here</u> Please visit the <u>Contact Us</u> section for any non-product compliance questions. Search Parts in this Series <u>71439</u> Series Mates With <u>714361</u> for Stack Height 14.00mm (.551"), <u>714362</u> for Stack Height 15.00mm (.591")
Plating min - Termina Polarized to PCB Surface Mount Comp Temperature Range Termination Interface	patible (SMC) - Operating	1.905µm (75µ") No N/A -55°C to +85°C Surface Mount	
Electrical Current - Maximum p Voltage - Maximum	per Contact	1A 100V	
Solder Process	Data		

Reflow Capable (SMT only)

260

Solder Process Data Lead-free Process Capability Process Temperature max. C

Material Info

Reference - Drawing Numbers Packaging Specification Product Specification Sales Drawing

PK-70873-063, PK-70873-0693 PS-71436-9999 SDA-71439-3***

This document was generated on 01/14/2011 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION