


# Wire to Board Connectors

## Dynamic Series Connectors/D-3000 Series

### D-3 Contact and Application Tooling

#### ■Crimp Type



**Receptacle Contact**  
(Used on Receptacle Housing)

**Tab Contact**  
(Used on Tab Housing)

Wire Range AWG	Wire mm <sup>2</sup>	Wire Ins. Diameter	Wire Range Mark	Contact Part Number			Application Tooling Part Number		
				Standard contact (Only -2 & -3 available)	High contact (pressure -2, -3, & -5 available)	Tab Contact	Mini-Appli- cator	Hand Tool	
28	0.08	0.8~1.2	S	ST.	175194-□	1-175194-□	175284-□	1276659-1	—
26	0.12			LP.	175216-□	1-175216-□	175287-□	—	91565-1
24	0.20	1.0~1.4	M	ST.	175195-□	1-175195-□	175285-□	937472-1	—
22	0.30	1.2~1.6		LP.	175217-□	1-175217-□	175288-□	—	91559-1
20	0.50	1.7~2.6		ST.	175196-□	1-175196-□	175286-□	1385001-2	—
18	0.85	1.8~2.8	L	LP.	175218-□	1-175218-□	175289-□	—	91558-1
16	1.25	2.2~2.8		ST.	917484-□	1-917484-□	917485-□	1276662-1	—
14	2.20	2.2~2.8	2L	LP.	917511-□	1-917511-□	917512-□	—	91560-1
16	1.25			3.1~3.3	ST.	353715-□	1-353715-□	353716-□	937269-2
14	2.20	3.3~3.4	3L	LP.	353717-□	1-353717-□	353718-□	—	91561-1

Note : \*Enter the following plating code in Part Number suffix-□ :

-2 = 0.38μm thick gold plating

-3 = 0.76μm thick gold plating

-5 = Tin plating

\*Solder-type Contact : We do not manufacture solder-type contacts for any specific application.

\*Minimum order quantity is provided. When ordering, specify your requirements by multiplying the quantity.

\*Minimum order quantity for tooling is one.


\*Mini-Applicators are for use with automachines.

For more information, contact our Sales Department.)

\*Strip Form contacts are for use with Mini-Applicators (automachines) and Loose-Piece contacts are for Hand tools.

#### ■Hand Tools

The crimping section incorporates Straight Action construction for improved reliability as with automachine.



Part No.: See the Chart  
Minimum order quantity:1

Uses	For General Production
Can it be used for tool repairing?	Yes
Approximately how many times of crimping can be performed?	50,000