Our commitment. Your advantage.

Search

Products

Occumentation


Resources

My Account

**Customer Support** 

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

### 968221 - 7 Product Details



968221 -7



# Micro - Power & Power Quadlok System

Always EU RoHS/ELV Compliant (Statement of Compliance

#### **Product Highlights:**

- ? Receptacle
- Contact Style = None
- Pre Tin Contact Finish
- Wire Range = 0.50 -0.75 <sup>2</sup> [20-18.5] mm [AWG]
- ? Not Sealed

<u>View all Features</u> | <u>Find Similar</u> <u>Products</u>



#### **Quick Links**

Check Pricing &
Availability
Search for Tooling
Product Feature
Selector
Contact Us About
This Product

### **Documentation & Additional Information**

### **Product Drawings:**

- MQS-Clean Body, Buchsenkontakt MQS CLEAN BODY, SOCKE... (PDF, English)
- MQS CLEAN BODY Produktgruppenzeichnung, Buchsenkontakt (PDF, German)

## Catalog Pages/Data Sheets:

- ? Micro Quadlok Interconnection System (PDF, English)
- ? Global Automotive Division Contact Systems (PDF, English)

## **Product Specifications:**

2 Clean Body MQS Connector 3 Positions (PDF, Japanese)

## Application Specifications:

? None Available

#### **Instruction Sheets:**

? None Available

### CAD Files:

? None Available

## Additional Information:

? Product Line Information

### Related Products:

? Tooling

**List all Documents** 

## **Product Features**

(Please use the Product Drawing for all design activity)

## Product Type Features:

- ? Product Type = Receptacle
- ? Sealed = No
- 2 Locking Lance = Without
- Insulation Diameter (mm [in]) = 1.60 1.90
   [0.063 0.075]

# **Body Related Features:**

- Wire Range (mm [AWG]) = 0.50 -0.75 <sup>2</sup> [20-18.5]
- ? Wire Type = Solid
- ? Mates with Centerline = 2.54 x 2.54[.100 x .100]

## **Contact Related Features:**

- ? Contact Style = None
- ? Contact Finish = Pre Tin
- ? Contact Shape = Straight
- ? Contact Type = Clean Body

## **Configuration Related Features:**

? Cable Type = FLR (Thin Walled Cable)

### **Industry Standards:**

- ? RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Not relevant for lead free process
- ? RoHS/ELV Compliance History = Always was RoHS compliant

# Packaging Related Features:

- ? Packaging Method = Loose Piece
- ? Packaging Quantity = 500

## Other:

- ? GET 0.64 Connector System = No
- ? Brand = AMP

Provide Website Feedback | Contact Customer Support