

1-1478213-0 Product Details

Live Product Chat



1-1478213-0

TE Part Number: 1-1478213-0

Active

Add to Part List

N Series RF Connectors

Converted to EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Connector
- Jack
- Coaxial Cable Termination Type = Crimp
- Crimp Type = Hex
- Terminate To Coaxial Cable

[View all Features](#) | [Find Similar Products](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)
- ▶ [Request Samples](#)

NEW!

Documentation & Additional Information

Product Drawings:

- [TYPE 'N' BULKHEAD JACK REAR MNT CRIMP 50 OHM PSF1/4M...](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector
- [Gender](#) = Jack
- [Crimp Type](#) = Hex
- [Body Style](#) = Straight
- [Grade](#) = Commercial
- Lightning/EMP Protection = None
- [Dielectric Material](#) = PTFE
- Weatherproof = No
- Flats Dimension = 19.0 A/F
- Panel Thickness (mm [in]) = 9.50 [0.374]
- Body Material = Brass
- Gasket Material = White Silicone Rubber

Mechanical Attachment:

- [Panel Attachment](#) = With
- [Panel Attachment Method](#) = Bulkhead, Hex Nut
- [Panel Attachment Style](#) = Rear Mount
- Panel Cutout = 15.9mm x 13.5mm Double-D
- Flange Dimension [Dia.] (mm [in]) = 21 [0.827]
- Flange and Thread Material = Brass
- Lockwasher Material = Brass
- Lockwasher Plating = Silver

Electrical Characteristics:

- Frequency = DC - 11 GHz
- Connector Impedance (Ω) = 50

Termination Related Features:

- Coaxial Cable Termination Type = Crimp

Body Related Features:

- [Body Plating](#) = Silver
- Ferrule Plating = Silver
- Ferrule Material = Annealed Copper
- Hexcrimp Dimension = 2.6 +5.5 + 10.8
- Ferrule Type = Hex

Contact Related Features:

- [Center Contact Plating](#) = Silver
- Center Contact Material = Brass

Housing Related Features:

- Captured Center Contact = With

Configuration Related Features:

- [Coaxial Cable Type \(RG/U or Mfg.\)](#) = 213, 8A, PSF 1/4M, Raychem 5012A1422, Raychem 5012E1339, Raychem 5012E1632, Raychem EPD 29108Q, Raychem EPD 71535Q, URM 67

Industry Standards:

- Government/Industry Qualification = No
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

- Terminate To = Coaxial Cable
- Operating Temperature (Max.) (°C) = 165

Packaging Related Features:

- Packaging Method = Individual
- Packaging Quantity = 50

Other:

- Brand = Greenpar

[Provide Website Feedback](#) | [Need Help?](#)