

1 - 1478066
- 0 Product Details



1 - 1478066
- 0


Active

BNC RF Connectors

[Converted to EU RoHS/ELV Compliant](#)
(
[Statement of Compliance](#)
)

Product Highlights:

- Connector
 - Connector Type = BNC
 - Jack
 - Terminate To Coaxial Cable
 - Coaxial Cable Termination Type = Crimp

[View all Features](#)
|
[Find Similar Products](#)


Live Product Chat
US Only
8:30am - 5pm ET, Mon - Fri

Quick Links

[Check Pricing & Availability](#)
[Search for Tooling](#)
[Product Feature Selector](#)
[Contact Us About This Product](#)

Documentation & Additional Information	
Product Drawings: <ul style="list-style-type: none"> BNC STRAIGHT JACK CRIMP 75 OHM PSF 1/3M, TM3304 (PDF, English) 	Additional Information: <ul style="list-style-type: none"> Product Line Information
Catalog Pages/Data Sheets: <ul style="list-style-type: none"> None Available 	Related Products: <ul style="list-style-type: none"> Tooling
Product Specifications: <ul style="list-style-type: none"> None Available 	
Application Specifications: <ul style="list-style-type: none"> None Available 	
Instruction Sheets: <ul style="list-style-type: none"> None Available 	
CAD Files: <ul style="list-style-type: none"> None Available 	
List all Documents	

Product Features <small>(Please use the Product Drawing for all design activity)</small>	
Product Type Features: <ul style="list-style-type: none"> Product Type = Connector Connector Type = BNC Gender = Jack Crimp Type = Hex Body Style = Straight Grade = Professional Body Material = Brass Sealed = No Isolated = No Dielectric Material = PTFE Number of Ports = 1 	Contact Related Features: <ul style="list-style-type: none"> Center Contact Material = Brass Center Contact Plating = Silver
Mechanical Attachment: <ul style="list-style-type: none"> Surface Mountable = No Panel Attachment = Without 	Configuration Related Features: <ul style="list-style-type: none"> Coaxial Cable Type (RG/U or Mfg.) = PSF 1/3M, TM3304
Electrical Characteristics: <ul style="list-style-type: none"> Connector Impedance (?) = 75 Frequency = DC - 2 GHz 	Industry Standards: <ul style="list-style-type: none"> Government/Industry Qualification = No RoHS/ELV Compliance = RoHS compliant, ELV compliant Lead Free Solder Processes = Not relevant for lead free process RoHS/ELV Compliance History = Converted to comply with RoHS directive
Termination Related Features: <ul style="list-style-type: none"> Coaxial Cable Termination Type = Crimp 	Conditions for Usage: <ul style="list-style-type: none"> Terminate To = Coaxial Cable Operating Temperature (Max.) (°C) = 165
Body Related Features: <ul style="list-style-type: none"> Hardware Included = No Body Plating = Silver Polarized = No Ferrule Type = Hex Hand Tool No. = 9 -1478240 -0 Interchangeable Die Set Number = 9 -1478242 -0 Crimp Dimensions = 1.75 + 2.6 + 5.6 + 6.5 	Packaging Related Features: <ul style="list-style-type: none"> Packaging Method = Individual Packaging Quantity = 50
	Other: <ul style="list-style-type: none"> Brand = Greenpar