

1 - 1634591 -0 Product Details

Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri



1 - 1634591 -0

[Active](#)

MMCX RF Connectors

[Converted to EU RoHS/ELV Compliant](#) ([Statement of Compliance](#))

Product Highlights:

- ? Plug
- ? Terminate To Coaxial Cable
- ? Coaxial Cable Type = RG 405
- ? Body Style = Right Angle

[View all Features](#) | [Find Similar Products](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- ? [GOLD PLATED MMCX ELBOW PLUG RG405 DIRECT SOLDER](#) (PDF, English)

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? None Available

Application Specifications:

- ? None Available

Instruction Sheets:

- ? None Available

CAD Files:

- ? None Available

Additional Information:

- ? [Product Line Information](#)

Additional Product Images:

- ? [Schematic](#)

Related Products:

- ? [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- ? Product Type = Plug
- ? Body Style = Right Angle
- ? Body Material = Brass
- ? Dielectric Material = PTFE

Termination Related Features:

- ? Coaxial Cable Termination Type = Solder

Body Related Features:

- ? Body Plating = Gold Flash

Contact Related Features:

- ? Center Contact Material = Brass
- ? Center Contact Plating = Gold over Nickel over Copper

Configuration Related Features:

- ? Coaxial Cable Type = RG 405

Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

- ? Terminate To = Coaxial Cable

Packaging Related Features:

- ? Packaging Method = Individual

Other:

- ? Brand = AMP