

1-1337410-0 Product Details

Have a Question?
Chat with a Product Information Specialist




1-1337410-0

TE Internal Number: 1-1337410-0

[Active](#)

N Series RF Connectors

[Converted to EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Connector - RF
- Plug
- Coaxial Cable Termination Type = Crimp
- Crimp Type = Hex
- Applies To Cable

[View all Features](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)
[Request Sample](#)
[Find Similar Products](#)
[Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [TYPE-N STRAIGHT PLUG CRIMP 50 OHM PSF 1/4, RG8A/U, 2...](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector - RF
- [Gender](#) = Plug
- [Crimp Type](#) = Hex
- [Wire/Cable Type](#) = Coaxial Cable
- [Body Style](#) = Straight
- [Grade](#) = Commercial
- [Lightning/EMP Protection](#) = None
- [Dielectric Material](#) = PTFE
- [Weatherproof](#) = No
- [Body Material](#) = Brass
- [Gasket Material](#) = White Silicone Rubber
- [Coupling Nut Material](#) = Brass

Mechanical Attachment:

- [Panel Attachment](#) = Without

Electrical Characteristics:

- [Frequency](#) = DC - 11 GHz
- [Connector Impedance \(Ω\)](#) = 50

Termination Related Features:

- [Coaxial Cable Termination Type](#) = Crimp

Body Related Features:

- [Body Plating](#) = Silver
- [Ferrule Plating](#) = Silver
- [Ferrule Material](#) = Annealed Copper
- [Hexcrimp Dimension](#) = 2.6 + 10.2
- [Ferrule Type](#) = Hex

Contact Related Features:

- [Center Contact Plating](#) = Silver
- [Center Contact Material](#) = Brass

Housing Related Features:

- [Captured Center Contact](#) = With

Configuration Related Features:

- [Coaxial Cable Type \(RG/U or Mfg.\)](#) = 213, 8A, PSF 1/4M, Raychem 5012A1422, Raychem 5012E1339, Raychem 5012E1632, Raychem EPD 29108Q, Raychem EPD 71535Q, URM 67

Industry Standards:

- [Government/Industry Qualification](#) = No
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- [RoHS/ELV Compliance History](#) = Converted to comply with RoHS directive

Conditions for Usage:

- [Applies To](#) = Cable
- [Operating Temperature \(Max.\) \(°C\)](#) = 165
- [Military Style Number](#) = UG-1681/U

Packaging Related Features:

- [Packaging Method](#) = Individual
- [Packaging Quantity](#) = 50

Other:

- [Brand](#) = Greenpar

[BOOKMARK](#)

Corporate Information

[Who We Are](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)

Quick Links

[Check Distributor Inventory](#)
[Cross Reference](#)
[Find Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)

Customer Support

[Email or Chat with Us](#)
[Find a Phone Number](#)
[Search Knowledge Base](#)
[Manage Your Account](#)

Sign up for our eNewsletter

Enter your email address

Follow Us On:



Visit Us On:

