


131-0134-0001 Product Details

Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri



131-0134-0001
(1467952-1)

TE Part Number: 1467952-1

Active

[Add to Part List](#)

SMB RF Connectors

Always EU RoHS/ELV Compliant ([Statement of Compliance](#))

Product Highlights:

- Connector
- Jack
- Miniature
- Terminate To Coaxial Cable
- Coupler Style = Threaded

[View all Features](#) | [Find Similar Products](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- [JACK GOLDEN CRIMP 50 OHM SERIES](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- [Golden Crimp and Crimp Silver Connectors](#) (PDF, English)

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector
- [Gender](#) = Jack
- Connector Series = Miniature
- [Body Style](#) = Straight
- [Grade](#) = Commercial
- Safety Wire Holes = Without
- Thread Size = 4.83 [.190]-32
- Body Material = Brass
- Dielectric Material = TEFLON

Mechanical Attachment:

- [Panel Attachment](#) = Without

Electrical Characteristics:

- [Connector Impedance \(Ω\)](#) = 50
- Environmental Seal = Without
- Solderless = Yes

Termination Related Features:

- [Coaxial Cable Termination Type](#) = Crimp

Body Related Features:

- Coupler Style = Threaded
- [Pin Protection](#) = Without
- Solder Lug = Without
- [Body Plating](#) = Gold per MIL-G-45204, Type II, Grade C, Class 1
- Cable Jacket Diameter (mm [in]) = 2.24 [0.088]

Contact Related Features:

- [Center Contact Plating](#) = Gold per MIL-G-45204, Type II, Grade C, Class 1
- Contacts = With

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- [Terminate To](#) = Coaxial Cable

Other:

- Brand = Microdot