Home > Products > Socket/Card Products > Product Feature Selector > Product Details

1-390261-9 Product Details

Have a Question?


Chat with a Product Information Specialist

Quick Links

Check Pricing & Availability Search for Tooling Product Feature Selector

Contact Us About This Product





DIP Sockets

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Socket Style = Standard
 Through Hole Contact Termination Type

View all Features

- 2.54 mm Centerline
 Row-to-Row Spacing = 7.62 mm
- 28 Positions

1-390261-9 TE Internal Number: 1-390261-9



View 3D PDF









Documentation & Additional Information

Product Drawings:

DIP SOCKET, .300 CENTER LINE LADDER STYLE (PDF, English)

Catalog Pages/Data Sheets:

Product Specifications:

Application Specifications:

Instruction Sheets:

CAD Files: (CAD Format & Compression Information) • 2D Drawing (DXF, Version M) • 3D Model (IGES, Version M)

- 3D Model (STEP, Version M)

Additional Information:

Related Products:

Tooling

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Socket Style = Standard • Profile = Standard
- Frame Style = Ladder
- Leg Style = Straight
- PCB Mount Angle = Horizontal

Electrical Characteristics:

- Insulation Resistance (MΩ) = 10,000
- Contact Resistance (mΩ) = 30

Termination Related Features:

• Termination Post Length (mm [in]) = 3.00 [0.118]

- Body Related Features:
 Centerline (mm [in]) = 2.54 [0.100]
 - Row-to-Row Spacing (mm [in]) = 7.62 [0.300]
 - Number of Positions = 28
 - Mount Style = Vertical

Contact Related Features:

- Contact Termination Type = Through Hole
- Contact Base Material = Phosphor Bronze • Contact Plating, Mating Area, Material = Tin
- Contact Style = Stamped + Formed
- Mating Contact Type = Dual Leaf

Configuration Related Features:
• Height Above PC Board (mm [in]) = 5.10 [0.200]

Industry Standards:

List all Documents

- ROHS/ELV Compliance = RoHS compliant, ELV compliant
 Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- · RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:
• Temperature Range (°C) = -40 - +105

Packaging Related Features:

Other:

Brand = AMP



Corporate Information Quick Links

Check Distributor Inventory

Investors Cross Reference

Find Documents & Drawings News Room Supplier Portal Product Compliance Support Center

Careers Site Map **Customer Support**

Email or Chat with Us Find a Phone Number

Search Knowledge Base Manage Your Account

Enter your email address

Sign up for our eNewsletter



Provide Website Feedback

© 2010 Tyco Electronics All Rights Reserved | Privacy Policy

Downloaded from Elcodis.com electronic components distributor