


Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sans autorisation écrite préalable. Propriété de FCJ. Droits de reproduction FCJ.

All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor FCJ. Property of FCJ. Copyright FCJ.



NOTE

1. PRODUCT SPEC. : GS-12-195
2. PACKAGING SPEC. : GS-14-786
3. MATERIAL
 - 1) HOUSING : LCP, UL94V-0, COLOR BLACK
 - 2) CONTACT : COPPER ALLOY
 - 3) HOLD DOWN : BRASS
4. FINISH
 - 1) TERMINAL : SEE TABLE
 - 2) HOLD DOWN : SEE TABLE
5. CO-PLANARITY : 0.1 MAX.(INCLUDE HOLD DOWN)
6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A REFLOW SOLDER APPLICATION.

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY	FCJ www.fcjconnect.com
ltr	ecn no	dr	date		
2		M H	8/28/03	linear .XX ± 0.10	
3		M H	4/2/04	angles 0° ± 5°	
4		M H	6/29/04		
A	J04-0401	M H	9/28/04	dr M.Hosegawa 6/29/04	scale 2:1 B
B	r05-0022	R C	11/9/04	engr M.Hosegawa 6/29/04	
C	r05-0229	R C	10/12/05	chr	
D	pc08-0333	B L	12/1/08	appd	
sheet index	revision sheet	D	D D D D		

ACAD

PDM: Rev:D


STATUS Released

Printed: Jul 28, 2010

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sans l'autorisation écrite de la propriété de FCJ. Droits de reproduction FCJ.

All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the property of FCJ. Copyright FCJ.

PRODUCT NO.
10033853-*52**



RECOMMENDED MOUNTING P.C.B LAYOUT

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCJ www.fciconnect.com	
lfr	ecn no	dr	date	linear	.X ± 0.20	projection	title
D					.XX ± 0.10	⊕	DDR II 0.6 mm PITCH 200 POS. STANDARD TYPE ASS'Y
				angles	0° ±5°	MM	product family 50UF SO-DIMM
				dr	M.Hosegawa 6/29/04	scale	size dwg no
				enr	M.Hosegawa 6/29/04	2:1	B 10033853
				chr			code JP
				appd			sheet 2 of
sheet index	revision sheet						

ACAD

PDM: Rev:D

STATUS: Released

Printed: Jul 28, 2010

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite préalable. Toute réimpression sans autorisation écrite préalable est formellement interdite. Propriété de FCJ. Droits de reproduction FCJ.


All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor FCJ. Copyright FCJ.

1 | 2

3

4

PRODUCT NO.	LOCATING PEG	TERMINAL CONTACT AREA FINISH	HOLD DOWN FINISH	SOLDER TAIL FINISH
10033853-052FSLF	YES	Au FLASH	PURE Sn PLATING	Au FLASH
10033853-152FSLF	NO			
10033853-052TSLF	YES	Au 0.3um MIN.		
10033853-152TSLF	NO			
10033853-052ASLF	YES	Au 0.76um MIN.	Sn-Pb PLATING	
10033853-152ASLF	NO			
10033853-052FB	YES	Au FLASH		
10033853-152FB	NO			
10033853-052TB	YES	Au 0.3um MIN.		
10033853-152TB	NO			
10033853-052AB	YES	Au 0.76um MIN.		
10033853-152AB	NO			
10033853-252FSLF	YES	Au FLASH	PURE Sn PLATING	Pure Sn PLATING
10033853-352FSLF	NO			
10033853-252TSLF	YES	Au 0.3um MIN.		
10033853-352TSLF	NO			
10033853-252ASLF	YES	Au 0.76um MIN.	Sn-Pb PLATING	
10033853-352ASLF	NO			
10033853-252FB	YES	Au FLASH		
10033853-352FB	NO			
10033853-252TB	YES	Au 0.3um MIN.		
10033853-352TB	NO			
10033853-252AB	YES	Au 0.76um MIN.		
10033853-352AB	NO			
10033853-452FS	YES	Au FLASH	PURE Sn PLATING	Sn-Pb PLATING
10033853-552FS	NO			
10033853-452TS	YES	Au 0.3um MIN.		
10033853-552TS	NO			
10033853-452AS	YES	Au 0.76um MIN.	Sn-Pb PLATING	
10033853-552AS	NO			
10033853-452FB	YES	Au FLASH		
10033853-552FB	NO			
10033853-452TB	YES	Au 0.3um MIN.		
10033853-552TB	NO			
10033853-452AB	YES	Au 0.76um MIN.		
10033853-552AB	NO			



mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCJ www.fcjconnect.com	
ltr	ecn no	dr	date	linear	.X ± 0.20	projection	title	DDR II 0.6 mm PITCH 200 POS. STANDARD TYPE ASS'Y	
D				angles	.XX ± 0.10		product family	50UF SO-DIMM	code
				dr	M.Hosegawa 6/29/04	MM	size	dwg no	JP
				enrg	M.Hosegawa 6/29/04	scale	10033853		sheet
				chr		2:1			4 of
				appd					
sheet index	revision sheet								

1 | 2

3

4

ACAD

PDM: Rev:D

STATUS Released

Printed: Jul 28, 2010