


227605-7 Product Details

Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri



227605-7

✓ Active

Multiple Coaxial Contacts (COAXICON)

[Not reviewed for RoHS Compliance](#)

Product Highlights:

- Contact
- Socket
- Terminate To Coaxial Cable
- Cable Type = Belden 9221, RG 174, RG 188, RG 316
- Connector Impedance = 50 ?

[View all Features](#) | [Find Similar Products](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- [COAXICON Microminiature R.F. Coaxial Contacts](#) (PDF, English)

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Contact
- [Pin/Socket](#) = Socket
- [Body Style](#) = Straight
- Mating Contact Retention = Without
- [Connector Family](#) = Box Contact, M Series
- Proprietary Name = AMP-DURAGOLD

Electrical Characteristics:

- [Connector Impedance \(?\)](#) = 50

Contact Related Features:

- [Contact Type](#) = Coax
- Contact Mating Area Plating = AMP-DURAGOLD (30)

Configuration Related Features:

- [Cable Type](#) = Belden 9221, RG 174, RG 188, RG 316

Industry Standards:

- [RoHS/ELV Compliance](#) = Not reviewed for ELV/RoHS compliance
- [Lead Free Solder Processes](#) = Not reviewed for lead free solder process

Conditions for Usage:

- [Terminate To](#) = Coaxial Cable

Other:

- Brand = AMP