


Product Details for 2 -406372 -7



2-406372 -7

[Active](#)

Cable Mounted Jacks

[Not ELV or RoHS Compliant](#)

Product Highlights:

- ? Jack
- ? Jack Type = 110Connect
- ? Number of Positions = 8
- ? Wiring Pattern = Universal
- ? Termination Style = 110 style punch down

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- ? [110 MODULAR JACK ASSEMBLY, RJ45, ENHANCED CAT5, UNIV...](#) (PDF, English)

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? None Available

Application Specifications:

- ? None Available

Instruction Sheets:

- ? [Unshielded 110Connect Panel Mount Jacks \(Category 3 ...\)](#) (PDF, English)

CAD Files: ([CAD Format & Compression Information](#))

- ? [3D Model](#) (STEP, Version D)
- ? [3D Model](#) (IGES, Version D)
- ? [2D Drawing](#) (DXF, Version D)

[List all Documents](#)

Additional Information:

- ? [Product Line Information](#)

Additional Product Images:

- ? [Product Photo](#)

Related Products:

- ? [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- ? Product Type = Jack
- ? [Jack Type](#) = 110Connect
- ? Number of Positions = 8
- ? Wiring Pattern = Universal
- ? [Termination Style](#) = 110 style punch -down
- ? [Keyed](#) = No
- ? Shielded = No
- ? [Performance Category](#) = Enhanced Cat 5
- ? Comment = T568A and T568B wiring patterns combined in one P/N.

Body Related Features:

- ? NETCONNECT Select System = No
- ? Mount Type = Panel Mount
- ? Wire Range (Solid) (mm [AWG]) = 22 -26
- ? Wire Range (Stranded) (mm [AWG]) = 20 -26
- ? 110 Block Material = Polycarbonate

Contact Related Features:

- ? Contact Material = Phosphor Bronze
- ? Contact Mating Area Plating = Gold (50) over Nickel
- ? Contact Termination Area Plating = Tin Lead over Nickel

Housing Related Features:

- ? Housing Color = Red
- ? Housing Material = Polyphenylene Oxide
- ? Housing Flammability Rating = UL 94V -0

Industry Standards:

- ? [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- ? [Lead Free Solder Processes](#) = Not relevant for lead free process

Packaging Related Features:

- ? Packaging Method = Poly Bag
- ? Packaging Quantity = 25

Other:

- ? Brand = AMP