

HCC 4-M

Order No.: 1600014



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1600014>

Plug, Type of connection: Screw connection, Screw connection, Cross section: 0.2 mm² - 4 mm², AWG 24 - 12, Width: 92 mm, Height: 18 mm, Color: gray, Mounting type: Direct screw connection

Commercial data

| | |
|--------------------------|--------------------|
| EAN | 4017918021740 |
| Pack | 50 pcs. |
| Customs tariff | 85366990 |
| Weight/Piece | 0.03736 KG |
| Catalog page information | Page 298 (CL-2009) |

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Dimensions / positions

| | |
|--------|---------|
| Length | 34.2 mm |
| Height | 18 mm |
| Width | 92 mm |

Technical data

| | |
|------------------------------------|---|
| Insulating material group | I |
| Maximum load current | 25 A (with 4 mm ² conductor cross section) |
| Insulating material | PA |
| Inflammability class acc. to UL 94 | V2 |

Certificates / Approvals

Certification

BV, CSA, DNV, GL, GOST, LR, UL

CSA

| | |
|--------------------------------|-------|
| Nominal voltage U _N | 300 V |
| Nominal current I _N | 20 A |
| AWG/kcmil | 28-10 |

UL

| | |
|--------------------------------|-------|
| Nominal voltage U _N | 300 V |
| Nominal current I _N | 20 A |
| AWG/kcmil | 30-10 |

Accessories

| Item | Designation | Description |
|---------------------|-------------|--|
| Plug/Adapter | | |
| 1600027 | CP-HCC 4 | Keying profile for contact inserts, Color: red |
| 3100224 | HCC 4-SR | Strain relief, Color: gray |
| Tools | | |
| 1205053 | SZS 0,6X3,5 | Screwdriver, bladed, matches all screw terminal blocks up to 4.0 mm ² connection cross section, blade: 0.6 x 3.5 mm, without VDE approval |

Additional products



| Item | Designation | Description |
|------|-------------|-------------|
|------|-------------|-------------|

General


| | | |
|---------|---------|---|
| 1600001 | HCC 4-F | Female insert, Type of connection: Screw connection, Screw connection, Cross section: 0.2 mm ² - 4 mm ² , AWG 24 - 12, Width: 92 mm, Height: 18 mm, Color: gray |
|---------|---------|---|

Drawings

Diagram



Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2009 Phoenix Contact
Technical modifications reserved;