





REVOLUTIONS		DATE	BY	APP'D
P	LYA			
B5	REVISED PER ECO-11-004820	11MAR2011	JK	HMR



- PARTS PURCHASED FROM SAURO.
 - MATERIAL AND FINISH
HOUSING: HIGH TEMPERATURE POLYAMIDE, UL 94V-0 RATED, COLOR: BLACK
CLAMP: BRASS, NICKEL PLATED.
TERMINAL: BRASS, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
 - SUITABLE FOR 1.6-2.4mm PC BOARD THICKNESS
 - END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.
 - WIRE SIZE RANGE: 16-30 AWG.
 - RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES IN.. FILE NO. E60677.
 - IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.
- ⚠ PERMANENT INK MARKING, WHITE.



⚠	15.24 ⁺⁰ _{-0.22}	3	2-1776119-1
⚠	15.24 ⁺⁰ _{-0.22}	3	2-1776119-0
	30.48 ⁺⁰ _{-0.45}	6	1776119-6
	25.40 ⁺⁰ _{-0.38}	5	1776119-5
	20.32 ⁺⁰ _{-0.30}	4	1776119-4
	15.24 ⁺⁰ _{-0.22}	3	1776119-3
	10.16 ⁺⁰ _{-0.16}	2	1776119-2
	A	NO OF POSN	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DATE	19NOV2008		NAME TERMINAL BLOCK ASSEMBLY, PCB MOUNT, STACKING, SIDE WIRE ENTRY, 5.08mm PITCH	SHEET CASE CODE DRAWING NO A200779 C-1776119	RESTRICTED TO REV B5
DRAWN BY		S. WELDON	19NOV2008				
CHECKED BY		C. RICHARD	19NOV2008				
APPROVED BY		C. RICHARD	19NOV2008				
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		WEIGHT	
0 PLC		±.2		-		-	
1 PLC		±.2		-		-	
2 PLC		±.15		-		-	
3 PLC		±0.000		-		-	
4 PLC		±0.000		-		-	
ANGLES		±0.000		-		-	
MATERIAL		FINISH		CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 1	