







LOC		DIST		REVISIONS			
P	LYA	DESCRIPTION	DATE	BY	CHK	APPR	
F1		REVISED ECO-07-010276	07/04/2007	SM	CR		



- △ MATERIALS AND FINISH
 HOUSING: PA 6-6, UL 94-V0, COLOR: SEE TABLE.
 CLAMP: BRASS, NICKEL PLATED.
 TERMINAL: BRASS, TIN PLATED.
 CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
- 2 SUITABLE FOR 1,6-2,4mm. PCB THICKNESS.
- 3 END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS OF CENTERLINE SPACING.
- 4 WIRE SIZE RANGE
 SOLID WIRE: 0,03-2,5mm (13AWG)
 STRANDED WIRE: 0,03-1,5mm (15AWG)
- 5 RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC. FILE N° 60677.
- 6 IMO CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 938-1/938-2-1.
- △ NOT CUMULATIVE TOLERANCE.
- ⊗ CLAMPING SCREWS IN TORQUED DOWN POSITION.

PRELIMINARY	BLACK	NO	-	22.5	3	1-282844-3
	GREEN	YES	-	30.0	4	282844-6
	GREEN	NO	△	30.0	4	282844-5
	GREEN	NO	-	30.0	4	282844-4
	GREEN	NO	-	22.5	3	282844-3
	GREEN	NO	-	15.0	2	282844-2
	HOUSING COLOR	MARKING	CLAMPING SCREW	A	NO OF POSN	PART NUMBER



DIMENSIONS:		DATE: 05APR2007		BY: F. ZANOLINI		CHK: D. BIEVENOUR		APP: D. BIEVENOUR		NAME: BUCHNAN		Tyco Electronics Harrisburg, PA 17105-3608	
mm		TO DIMENSIONS UNLESS OTHERWISE SPECIFIED		PRODUCT SPEC: 108-20166		APPLICATION SPEC: 114-20079		WEIGHT: -		SHEET: A2		CASE CODE: 00779	
MATERIAL:		FINISH:		CUSTOMER DRAWING		SCALE: 4:1		SHEET: 1 OF 1		REV: F1		RESTRICTED TO:	