

**MKDS 1,5/ 2 BD:1-2**


Order No.: 1871526

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1871526>

Commercial data	
EAN	4017918250331
Pack	50 pcs.
Customs tariff	85369010
Weight/Piece	0.00294 KG

**Product notes**

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Certificates / Approvals**

Certification

CCA, CSA, CUL, GOST, SEV, UL

**CSA**

Nominal voltage $U_N$	300 V
Nominal current $I_N$	10 A
AWG/kcmil	28-14

**CUL**

Nominal voltage $U_N$	300 V
-----------------------	-------

Nominal current $I_N$	10 A
AWG/kcmil	30-14

**UL**

Nominal voltage $U_N$	300 V
Nominal current $I_N$	10 A
AWG/kcmil	30-14

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;