

4


3

2




1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
U1		ECR-07-026634 (REDRAWN IN AUTOCAD)	30OCT07	HMR	DD	



- 1 CONTINUOUS STRIP ON REELS.
- 2 WIRE RANGE: 20-16 AWG
- 3 INSULATION RANGE: 2.29-3.05 [.090-.120] DIA.



OBSOLETE	NONE	H04 PHOS. BRONZE	42531-5
OBSOLETE	NONE	H04 CU BRONZE	42531-4
	NONE	H04 PHOS. BRONZE	42531-3
	TIN	4M BRASS	42531-2
	NONE	4M BRASS	42531-1
	FINISH	MATERIAL	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAGHAVENDRA 30OCT2007	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK D DECKER 30OCT2007	NAME RECEPTACLE SHUR PLUG, 4.57 [.180] DIA	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D DECKER 30OCT2007	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	A3 00779 C-42531	-
2 PLC ± 0.38 [.015]	3 PLC ± -	APPLICATION SPEC	WEIGHT	CUSTOMER DRAWING
4 PLC ± -	ANGLES ± 1°	FINISH	SCALE 5:1	SHEET 1 OF 1 REV U1
MATERIAL SEE TABLE	FINISH SEE TABLE			