

4

3


2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC AF DIST 50

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
AC2		REVISED PER ECR-09-019650	04SEP09	HMR	PD
AC3		REVISED PER ECO-10-002990	05JAN10	KK	HMR




SECTION B-B



SECTION A-A

- 1 SPECIAL PACKAGING QUANTITIES.
- 2 POLYAMIDE, UL94, V2, ACCORDING TO IEC 60335-1, GLOW WIRE.
- 3 PRELIMINARY - NOT FOR PRODUCTION

5 CONTACT PRODUCT ENGINEERING FOR TERMINAL RECOMMENDATIONS WHEN USING THIS INSULATOR WITH 10 AWG WIRE



NATURAL	2	2-480416-2
NATURAL	6/6 NYLON	2-480416-1
NATURAL	UL94 5VA RATED	2-480416-0
NATURAL	4/6 NYLON UL 150	1-480416-8
NATURAL	66 NYLON, VO	1-480416-7
NATURAL	POLYESTER	1-480416-6
RED	6/6 NYLON	1-480416-4
BLUE		1-480416-3
BLACK		1-480416-1
NATURAL		1-480416-0
FINISH	MATERIAL	PART NO

SUPERCEDED BY 1-480416-0
 OBSOLETE
 SUPERCEDED BY 1-480416-0

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JR RUTH 2/4/91	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		CHK P FORTNEY 2/4/91	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD C MEYERS 2/4/91	HOUSING, RECEPTACLE, FASTON, 6.35 [.250] SERIES	
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	SIZE A3	CAGE CODE 00779
2 PLC ± 0.38 [015]	3 PLC ± -	APPLICATION SPEC	DRAWING NO C-480416	RESTRICTED TO
4 PLC ± -	ANGLES ± -	WEIGHT -	CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 1 REV AC3
MATERIAL SEE TABLE	FINISH SEE TABLE			