

4

3




2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION.
 BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS		
F	LNK	DESCRIPTION	DATE	BY
C		REVISED PER ECR-10-007124	18MAY10	HMR GJ

- 1 SPECIFICATIONS: MAGNET WIRE #18 - #34 AWG, 1.02mm(.040")-0.16mm(.006") DIA COPPER. LEAD WIRE #20 AWG, (0.5mm²) STRANDED, BONDED OR SOLID. INSULATED LEAD WIRE. MAX INSULATION O.D. 2.9mm(.115") NO STRIPPING REQUIRED.
- 2 POCKET RECOMMENDATION: #1601421
- 3 TERMINALS APPLICATION TO COMPLY WITH TYCO ELECTRONICS SPECIFICATION 114-13166 FIGURE 3.
- 4 SPECIAL PACKAGING. SPLICE FREE.
- 5 PRELIMINARY - NOT FOR PRODUCTION.
- 6 TWO (2) TERMINALS SHOWN FOR ILLUSTRATION PURPOSES ONLY



UNPLATED	031-119-000	4-1601056-1
UNPLATED	-	3-1601056-1
UNPLATED	131-120-000	2-1601056-1
UNPLATED	131-119-000	1601056-1
FINISH	REFERENCE PART NUMBER	TE PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRN J. WELLS 11JAN2002	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK M. FEHR 11JAN2002	APPC K. RANDOLPH 11JAN2002	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME 108-2085		
0 PLG	± .005	PRODUCT SPEC		
1 PLG	± .005	APPLICATION SPEC		
2 PLG	± 0.1% (.005)	SIZE CASE CODE DRAWING NO		
3 PLG	± .005	WEIGHT		
4 PLG	± .005	A2 00779 C=1601056		
ANGLES	± .5°	RESTRICTED TO		
MATERIAL BRASS, SPRING HARD	FINISH SEE TABLE	CUSTOMER DRAWING		
		SCALE	SHEET	REV
		6:1	1 of 1	C

1471-9 (1/08)

1601056

A