




DRAWING MADE IN THIRD ANGLE PROJECTION
 THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	P	F	ZONE	LTR	REVISIONS	DATE	APPD
AF	50				N	REVISED PER AF-7503	8/16/91	HSF/MN

- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 5.08 [.200] CENTERS.
- △ SLOT ACCEPTS A 0.36-0.45 mm DIA [#27-#25] AWG COPPER MAGNET WIRE ONLY (2 WIRES MAX).
- △ WIRE BARREL ACCEPTS 0.12-0.40 mm² [#26-#22] AWG LEAD WIRE.
- △ IDENTIFICATION NUMBER FOR MAGNET WIRE RANGE.



SECTION A-A
 ROTATED 90° CW

3.56 [.140]	F	1.40 [.055]	0.97 [.038] 0.39# [22]
			0.89 [.035] 0.20# [24]
			0.86 [.032] 0.14# [26]
STRIP LENGTH ±.015	TYPE	WIDTH	±0.05 [E.002] HEIGHT WIRE
WIRE BARREL CRIMP			

PROPOSED DESIGN
 NOT RELEASED FOR
 PRODUCTION



OBSOLETE	BENCH INSERTION MACHINE	62609-3
	REVERSE REEL OF 62609-1	0.00381 [.000150] MIN THK PER MIL-T-10727
	MINI-APPLICATOR	62609-2
		62609-1
	REELING	FINISH
	DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm (INCHES) TOLERANCES ON : 2 PLC DEC # - 3 PLC DEC # 0.38 (.015) ANGLES ± -	DR 8/3/89 DK SCHURM CHK 8/16/89 MS FEHER APPD 8/16/89 NE NEFF APPD 8/17/89 TL SHUTTER
	MATERIAL #4 HARD BRASS	PRODUCT SPEC -
	FINISH SEE TABLE	APPLICATION SPEC 114-2069
	WEIGHT -	SIZE C CAGE CODE 00779
		SCALE 8:1
		DRAWING NO 62609
		SHEET 1 OF 1



TERMINAL, F CRIMP,
 MAG-MATE™

CUSTOMER DRAWING