



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED. BY TYCO ELECTRONICS CORPORATION.

REV	DATE	DESCRIPTION	BY	APP
AF 50				
S		REVISED PER ECR-06-010412		
	03NOV06		HMR	KR



- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON  $8.38 \pm 0.08$  [ $0.330 \pm 0.003$ ] CENTERS.
- 2 SLOT TERMINATES EITHER A SINGLE OR DOUBLE MAGNET WIRE OF THE SAME TYPE AND SIZE, COPPER RANGE; 0.18-0.23mm [#33-#31] AWG.
- 3 AFTER INSERTION INTO PLASTIC HOLDER, TAB PORTION MUST BE BENT OVER 45° TO 90° OR POTTED-IN TO PREVENT PULL-OUT WHEN MATING RECEPTACLE IS DISCONNECTED.
- 4 TABS MUST WITHSTAND 3-90° BENDS. TESTS ARE TO BE MADE BY BENDING FIRST SAMPLE OVER THE BOX AND SECOND SAMPLE AWAY FROM THE BOX.



082 PRE-MILLED BRASS	62600-2
4M PRE-MILLED BRASS	62600-1
MATERIAL	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DN MICHAEL S. FELDER 28/04/04	Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: TO DIMENSIONS UNLESS OTHERWISE SPECIFIED:		DR JEFF R. RUTH 3/04/04	
mm [INCHES]		APD NELSON E. NEFF 5/04/04	MAG- Electronics TAB, 6.35[.250] FASTON, <sup>™</sup> MAG-MATE <sup>™</sup>
Ø PUC	±	PRODUCED SPEC 108-2012	
1 PUC	± 0.15 [006]	APPLICATION SPEC 114-2046	SIZE A2
2 PUC	±	WEIGHT	CAGE CODE 00779
3 PUC	±	FINISH 01002032 [000080]	DRAWING NO 62600
4 PUC	±	MIN TN	RESTRICTED TO
SEE TABLE		CUSTOMER DRAWING	SCALE 6:1
			SHEET 1 of 1
			REV S

AMP 1471-B REV 31MMR2000

62600

A