

| 0385  | 4001  | 1782  | 5960   |
|---|---|---|--|
| <p><b>0385-0-15-XX-43-XX-10-0</b><br/>Press-fit in .046 mounting hole</p> | <p><b>4001-0-15-XX-43-XX-04-0</b><br/>Press-fit in .057 mounting hole</p> | <p><b>1782-0-15-XX-43-XX-04-0</b><br/>Press-fit in .045 mounting hole</p> | <p><b>5960-0-15-XX-43-XX-04-0</b><br/>Hex press-fit in .057 plated thru hole</p> |

| 1401/3185   | 4310              | 1385     |          |        |      |      |        |      |      |  |   |
|---|-------------------|----------|----------|--------|------|------|--------|------|------|--|---|
| <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Basic Part Number</th> <th>Depth N</th> <th>Length L</th> </tr> </thead> <tbody> <tr> <td>1401-0</td> <td>.145</td> <td>.165</td> </tr> <tr> <td>3185-0</td> <td>.109</td> <td>.130</td> </tr> </tbody> </table> <p><b>XXXX-0-15-XX-30-XX-10-0</b><br/>Solder mount in .055 min. mounting hole<br/>Also available on 16mm wide carrier tape: 1,700 parts per 13" reel.<br/>Order as: XXXX-0-57-XX-30-XX-10-0</p> | Basic Part Number | Depth N  | Length L | 1401-0 | .145 | .165 | 3185-0 | .109 | .130 | <p><b>4310-0-31-XX-43-XX-04-0</b><br/>Compliant press-fit in .040±.003 plated hole. For .090→.130 thick board.</p> | <p><b>1385-0-15-XX-43-XX-10-0</b><br/>Surface mount</p> |
| Basic Part Number   | Depth N           | Length L |          |        |      |      |        |      |      |  |   |
| 1401-0  | .145              | .165     |          |        |      |      |        |      |      |  |   |
| 3185-0  | .109              | .130     |          |        |      |      |        |      |      |  |   |

| 3018  | 8852  | 3907  |
|---|---|---|
| <p><b>3018-0-15-XX-30-XX-04-0</b><br/>Press-fit in .057 mounting hole</p> | <p><b>8852-0-15-XX-30-XX-04-0</b><br/>Press-fit in .056 mounting hole</p> | <p><b>3907-0-18-XX-30-XX-10-0</b><br/>Surface mount<br/>Also available on 12mm wide carrier tape: 4,000 parts per 13" reel.<br/>Order as: 3907-0-58-XX-30-XX-10-0</p> <div style="text-align: right;"> <p><b>P.C.B. Layout</b></p> </div> |

|  |  |
|--|--|
| <p><b>SPECIFICATIONS</b></p> <p><b>SHELL MATERIAL:</b><br/>Brass Alloy 360, 1/2 Hard</p> <p><b>CONTACT MATERIAL:</b><br/>Beryllium Copper Alloy 172, HT</p> <p><b>DIMENSION IN INCHES</b><br/><b>TOLERANCES ON:</b><br/>LENGTHS: ±.005<br/>DIAMETERS: ±.002<br/>ANGLES: ± 2°</p> | <p><b>ORDER CODE: XXXX - X - XX - XX - XX - XX - 0</b></p> <p><b>BASIC PART #</b> →</p> <p><b>SPECIFY SHELL FINISH:</b></p> <ul style="list-style-type: none"> <li>01 200μ" TIN/LEAD OVER NICKEL</li> <li>◇ 80 200μ" TIN OVER NICKEL (RoHS)</li> <li>◇ 15 10μ" GOLD OVER NICKEL (RoHS)</li> </ul> <p><b>SPECIFY CONTACT FINISH:</b></p> <ul style="list-style-type: none"> <li>02 100μ" TIN/LEAD OVER NICKEL</li> <li>◇ 84 100μ" TIN OVER NICKEL (RoHS)</li> <li>◇ 27 30μ" GOLD OVER NICKEL (RoHS)</li> </ul> <p><b>SELECT CONTACT</b></p> <p>#30, #35 or #43 CONTACT (DATA ON PAGES 218, 219 &amp; 220)</p> |
|--|--|



Downloaded from Elcodis.com electronic components distributor