

4184	9050	4353	9083
<p>4184-0-00-XX-00-00-33-0 Solder mount in 0,36 mounting hole</p>	<p>9050-0-00-XX-00-00-33-0 Solder mount in 0,41 mounting hole</p>	<p>4353-0-00-XX-00-00-33-0 Solder mount in 0,41 mounting hole</p>	<p>9083-0-00-XX-00-00-38-0 Solder mount in 0,41 mounting hole</p>
4825	4689	4361	4288
<p>4825-0-00-XX-00-00-33-0 Solder mount in 0,48 mounting hole</p>	<p>4689-0-00-XX-00-00-33-0 Solder mount in 0,48 mounting hole</p>	<p>4361-0-00-XX-00-00-33-0 Solder mount in 0,56 mounting hole</p>	<p>4288-0-00-XX-00-00-33-0 Solder mount in 0,56 mounting hole</p>
4068	9113	9137	5137
<p>4068-0-00-XX-00-00-33-0 Solder mount in 0,56 mounting hole</p>	<p>9113-0-00-XX-00-00-38-0 Solder mount in 0,56 mounting hole</p>	<p>9137-0-00-XX-00-00-38-0 Solder mount in 0,56 mounting hole</p>	<p>5137-0-00-XX-00-00-38-0 Solder mount in 0,56 mounting hole</p>
<p>SPECIFICATIONS</p> <p>PIN MATERIAL: Brass Alloy 360, 1/2 Hard (Except where noted)</p> <p>DIMENSION IN INCHES TOLERANCES ON: LENGTHS: ±0,13 DIAMETERS: ±0,05 ANGLES: ± 2°</p>	<p>ORDER CODE: XXXX - X - 00 - XX - 00 - 00 - XX - 0</p> <p>BASIC PART # SPECIFY PIN FINISH:</p> <ul style="list-style-type: none"> 01 5,08µm TIN/LEAD OVER NICKEL ◇ 80 5,08µm TIN OVER NICKEL (RoHS) ◇ 15 0,25µm GOLD OVER NICKEL (RoHS) ◇ 21 0,51µm GOLD OVER NICKEL (RoHS) ◇ 34 1,27µm GOLD OVER NICKEL (RoHS) 		