

4209	5063	4965	6547
<b>4209-0-00-XX-00-00-33-0</b> Solder mount in 0,56 mounting hole	<b>5063-0-00-XX-00-00-33-0</b> Solder mount in 0,61 mounting hole	<b>4965-0-00-XX-00-00-33-0</b> Solder mount in 0,61 mounting hole	<b>6547-0-00-XX-00-00-33-0</b> Solder mount in 0,61 mounting hole
4071	8808	4964	9185
<b>4071-0-00-XX-00-00-33-0</b> Solder mount in 0,61 mounting hole	<b>8808-0-00-XX-00-00-33-0</b> Solder mount in 0,61 mounting hole	<b>4964-0-00-XX-00-00-33-0</b> Solder mount in 0,61 mounting hole	<b>9185-0-00-XX-00-00-33-0</b> Solder mount in 0,67 mounting hole
8257	5035	5240	2650
<b>8257-0-00-XX-00-00-33-0</b> Solder mount in 0,66 mounting hole	<b>5035-0-00-XX-00-00-33-0</b> Solder mount in 0,74 mounting hole	<b>5240-0-00-XX-00-00-33-0</b> Solder mount in 0,74 mounting hole	<b>2650-0-00-XX-00-00-33-0</b> Solder mount in 0,74 mounting hole
<p><b>SPECIFICATIONS</b></p> <p><b>PIN MATERIAL:</b> Brass Alloy 360, 1/2 Hard (Except where noted)</p> <p><b>DIMENSION IN INCHES</b> <b>TOLERANCES ON:</b> LENGTHS: ±0,13 DIAMETERS: ±0,05 ANGLES: ± 2°</p>		<p><b>ORDER CODE: XXXX - X - 00 - XX - 00 - 00 - 33 - 0</b></p> <p><b>BASIC PART #</b>      <b>SPECIFY PIN FINISH:</b></p> <ul style="list-style-type: none"> <li>01 5,08µm TIN/LEAD OVER NICKEL</li> <li>◇ 80 5,08µm TIN OVER NICKEL (RoHS)</li> <li>◇ 15 0,25µm GOLD OVER NICKEL (RoHS)</li> <li>◇ 21 0,51µm GOLD OVER NICKEL (RoHS)</li> <li>◇ 34 1,27µm GOLD OVER NICKEL (RoHS)</li> </ul>	