

4

3



2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
AF	50					
		D6	REVISED PER ECR-11-002187	03FEB11	JR PD	

- 1 CONTINUOUS STRIP ON REELS.
- 2 ACCEPTS [#20-#16] AWG. WIRE SIZE
- 3 INSULATION RANGE TO BE 2.79-4.32 [.110-.170] DIA
- 4 FEED IS 16.38±0.13 [.645±.005]
- 5 MATING TAB THK IS 0.81±0.025 [.032±.001].
- △6 PREPRODUCTION - FASR REQUIRED



SECTION A-A



0.002032 [.000080] MIN TIN PLATE	HO4 PHOS BRONZE	△6 63748-3
0.002032 [.000080] MIN TIN PLATE	HO4 BRASS	63748-2
--	HO4 BRASS	63748-1
FINISH	MATERIAL	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JR RUTH 7/27/93	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: MM [INCHES]		CHK MS FEHER 7/27/93	NAME R KUZO	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R KUZO 7/27/93	PRODUCT SPEC RECEPTACLE, LIF, FASTON, FLAG, 4.75 [.187] SERIES	
0 PLC ± -	1 PLC ± -	APPLICATION SPEC	SIZE A3	CAGE CODE 00779
2 PLC ± 0.25 [.010]	3 PLC ± -	WEIGHT	DRAWING NO C-63748	RESTRICTED TO
4 PLC ± -	ANGLES ± -	CUSTOMER DRAWING	SCALE 5:1	SHEET 1 of 1
MATERIAL SEE TABLE	FINISH SEE TABLE	REV D6		